

SPRAY GLUE

MSDS Number

BKYDY

National Stock Number

8040-00F018546

Product Name

SPRAY GLUE

Manufacturer

HUNTING SPECIALTY PRODUCTS INC

Product Identification

Product ID:SPRAY GLUE

MSDS Date:02/01/1990

FSC:8040

NIIN:00F018546

MSDS Number: BKYDY

Responsible Party

HUNTING SPECIALTY PRODUCTS INC

265 S WEST STREET

LEBANON , OH 45036

Emergency Phone: (513) 241-9202

Info Phone: (513) 241-9202

Cage: HUNTI

Contractor

HUNTING SPECIALTY PRODUCTS, INC.

LEBANON, OH 45036

US

800-733-4413

Cage: HUNTI

Ingredients

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 4%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: 4%

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

HEXANE (N-HEXANE)

CAS: 110-54-3

RTECS: MN9275000

Fraction By Weight: 30%

OSHA PEL500 PPM

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

LIGHT ALIPHATIC NAPHTHA, VM & P NAPHTHA

CAS: 64742-89-8

Fraction By Weight: 27%

OSHA PEL400 PPM

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight:

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9192

RESIN

Fraction By Weight:

RUBBER BINDER

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY TRACT IRRITATION, DIFFICULTY BREATHING, & VOMITING. EYES: IRRITATION. SKIN: IRRITATION, REDNESS, & ABSORPTION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: RESPIRATORY TRACT IRRITATION, DIFFICULTY BREATHING, & VOMITING. EYES: IRRITATION. SKIN: IRRITATION, REDNESS, & ABSORPTION.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. USE OXYGEN OR CPR AS REQUIRED. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC

Flash Point:-40F
Lower Limits:1.8%
Upper Limits:12%
Extinguishing Media:WATER FOG, DRY CHEMICAL, & CO2.
Unusual Fire/Explosion Hazard:AEROSOL CANS MAY RUPTURE WHEN HEATED.

Accidental Release

Spill Release Procedures:EXTINGUISH ALL SOURCES OF FLAME & IGNITION.
ABSORB W/INERT MATERIAL SUCH AS VERMICULITE OR SAND. SWEEP UP &
COLLECT IN CONTAINERS FOR DISPOSAL. WASH THE AREA W/TRI-SODIUM
PHOSPHATE & WATER.

Handling

Handling and Storage Precautions:STORE AWAY FROM SOURCES OF HEAT & IGNITION. OPEN CONTAINERS SLOWLY TO
RELIEVE ANY INTERNAL PRESSURE.
Other Precautions:USE W/ADEQUATE VENTILATION. KEEP OUT OF REACH OF
CHILDREN. AVOID STORAGE IN OPEN CONTAINER.

Exposure Controls

Respiratory Protection:USE A CHEMICAL RESPIRATOR W/SELF-CONTAINED AIR
SUPPLY.
Ventilation:ANY COMBINATION OF LOCAL & GENERAL, TO DRAW FUMES AWAY FROM
WORKERS. USE EXPLOSION PROOF EQUIPMENT.
Protective Gloves:PLASTIC OR RUBBER CHEMICAL RESISTANT
Eye Protection:SAFETY GLASSES W/SIDE SHIELD
Other Protective Equipment:PROTECTIVE CLOTHING, SHOES, EYE WASH STATION
& SAFETY SHOWERS.
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:-40 TO 158F
Vapor Pres:42
Vapor Density:>AIR
Spec Gravity:0.7
Evaporation Rate & Reference:SLOWER THAN BU AC
Appearance and Odor:AEROSOL

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:TEMPERATURES >100F, EXCESSIVE HEAT, OPEN
FLAME, SOURCES OF FLAME & IGNITION.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.