

MIL-C-601 CARBON DIOXIDE CYLINDER

MSDS Number

BLBBG

National Stock Number

4220-00-837-3322

Product Name

MIL-C-601 CARBON DIOXIDE CYLINDER

Manufacturer

SPARKLET DEVICES INC

Product Identification

Product ID:MIL-C-601 CARBON DIOXIDE CYLINDER

MSDS Date:04/01/1986

FSC:4220

NIIN:00-837-3322

MSDS Number: BLBBG

Responsible Party

SPARKLET DEVICES INC

4400 GUSTINE AVE

ST LOUIS , MO 63116-1712

US

Emergency Phone: 314-353-0400

Info Phone: 314-353-0400

Cage: 87286

Contractor

SPARKLET DEVICES INC

ST LOUIS, MO 63116-1712

US

314-353-0400

Cage: 87286

Ingredients

CARBON DIOXIDE

CAS: 124-38-9

RTECS: FF6400000

Fraction By Weight: 100%

OSHA PEL5000 PPM

ACGIH TLV: 5000PPM/30000STEL;93

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CARBONDIOXIDE IS AN ASPHIXIANT. AS A LIQUID OR SOLID, ITS HIGH RATE OF EVAPORATION CREATES AN INTENSE COOLING OF THE BODY TISSUE CONTACTED WHICH RESULTS IN FROSTBITE.

Explanation of Carcinogenicity:PRODUCT IS NOT LISTED AS A CARCINOGEN BY IARC, NTP, OR OSHA.

Effects of Overexposure:CONTACT:FROSTBITE AND FREEZE BURNS.

INHALED:HEADACHE, DIZZINESS SHORTNESS OF BREATH AND OTHER SYMPTOMS

OF OXYGEN STARVATION. HIGH CONCENTRATIONS PRODUCE A SLIGHT ACID TASTE AND MAY PARALYSE THE BREATHING CONTROL CENTER.
Medical Condition Aggravated by Exposure: OVEREXPOSURE MAY AGGRAVATE SOME PULMONARY CONDITIONS.

First Aid

First Aid: CONTACT: RINSE WITH WARM WATER 15 MINUTES. GET MEDICAL ASSISTANCE IF ANY SYMPTOMS OF FROSTBITE OR FREEZING APPEAR.
INHALED: REMOVE FROM EXPOSURE. RESTORE BREATHING. BE CAUTIOUS ENTERING CLOSED AREAS AS IN A RESCUE EFFORT IF WITHOUT A SUPPLIED AIR BREATHING APPARATUS.

Fire Fighting

Flash Point: NON-FLAMMABLE
Extinguishing Media: PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH MEDIA APPROPRIATE FOR SOURCE OF FIRE.
Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: PLACE LEAKING CYLINDERS OUTSIDE OR WHERE LEAK IS EXHAUSTED BY LOCAL EXHAUST.
Neutralizing Agent: NONE

Handling

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.
Other Precautions: USE A SAFETY LINE, A STAND-BY WORKER AND A SUPPLIED AIR RESPIRATOR WHEN ENTERING AREAS OF SUSPECTED OR KNOWN HIGH CONCENTRATION.

Exposure Controls

Respiratory Protection: RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE.
Ventilation: GENERAL ROOM VENTILATION IS NORMALLY ADEQUATE. USE LOCAL EXHAUST IF NECESSARY TO CONTROL EXPOSURE BELOW PEL/TLV.
Protective Gloves: THERMAL PROTECTION IF CONTACT POSSIBLE
Eye Protection: SAFETY GLASSES OR GOGGLES (NO CONTACTS!)
Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID CONTACT WHENEVER POSSIBLE.
Supplemental Safety and Health
NONE

Chemical Properties

HCC: G4
Boiling Pt: B.P. Text: -109F, -78C
Vapor Pressure: 1 ATM
Vapor Density: 1.5
Solubility in Water: 90 ML/100 ML @ 1 ATM
Appearance and Odor: CLEAR COLORLESS GAS OR CLEAR COLORLESS HIGHLY VOLATILE LIQUID, NO ODOR
Percent Volatiles by Volume: 100

Stability

Stability Indicator/Materials to Avoid: YES
ALKALI AND ACTIVE METALS
Stability Condition to Avoid: NONE GIVEN BY MANUFACTURER (SUPPLIER).
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE

Disposal

Waste Disposal Methods:ALLOW TO DISSIPATE IN A MANNER THAT THE CARBON DIOXIDE WILL NOT BE SUFFICIENTLY CONCENTRATED TO ENDANGER PERSONNEL OR LIVESTOCK.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.