

BOSTIK SEAL CLEAR 10.30ZCT, 9732

MSDS Number

BLBQP

National Stock Number

8040-00N016413

Product Name

BOSTIK SEAL CLEAR 10.30ZCT, 9732

Manufacturer

BOSTIK DIV

Product Identification

Product ID:BOSTIK SEAL CLEAR 10.30ZCT, 9732 MSDS Date:10/24/1988

FSC:8040 NIIN:00N016413 MSDS Number: BLBQP

Responsible Party

BOSTIK DIVSION

BOSTON ST

 ${\sf MIDDLETON}\;,\;{\sf MA}\;01949$

US

Info Phone: 508-777-0100

Cage: HO863

Contractor

USM CORP SUB OF EMHART INDUSTRIES INC BOSTIK DIV

MIDDLETON, MA 01949

US

508-777-0100 Cage: 70707

Ingredients

SILANE, METHYLTRIACETORY-(METHYLTRIACETOXYSILANE)

CAS: 4253-34-3 RTECS: UV4500000

Fraction By Weight: 2.0% ACGIH TLV: 10PPM (MFR)

ETHYLTRIACETOXYSILANE

CAS: 17689-77-9

Fraction By Weight: 3.0% ACGIH TLV: 10PPM (MFR)

SILICA, AMORPHOUS, PRECIPITATED AND GEL

CAS: 7699-41-4 RTECS: VV8850000



Fraction By Weight: 10.0%

OSHA PEL20 MPPCF

ACGIH TLV: 10 MG/M3 TDUST; 9293

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THE INFO REFERS GEN TO COMPONENT OF
THE PROD BUT AS REQD BY OSHA 1910.1200 THE HAZARDS OF ANY INGRED
MUST BE EXTENDED TO THE PROD AS WHOLE UNLESS TESTING OF THE PROD
HAS BEEN PERFORM. INGEST/SKIN: NO HAZARD KNOWN AT THIS TIME.
INHAL: HAZARDOUS. EYE: INGRED CAUSES EYE IRRIT.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:IRRITATION, MUCOUS MEMBRANE IRRITATION.
Medical Cond Aggravated by Exposure:LUNG DISEASE.

First Aid

First Aid:INHAL: IF INHALED REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH TO MOUTH. IF BREATHING IS DIFFICULT GIVE OXYGEN. CALL MD. EYE: IN CASE OF CONTACT, IMMEDIATELY FLU SH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL MD. INGEST: GET MD IMMEDIATELY

Fire Fighting

Flash Point:>200F,>93C

Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL

PROTECTIVE EQUIP .

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures: SOAK UP LIQUID WITH AN ABSORBENT MATERIAL SUCH AS SAND, EARTH, SWEEPING COMPOUND OR SOME OTHER ABSORBENT MATERIAL. PACKAGE ABSORBENT MATERIAL OR SOLID PRODUCT IN STEEL DRUMS WHICH ARE IN GOOD CONDITIO N . THOROUGHLY CLEAN AREA WHERE SPILL OCCURRED.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: STORE IN A COOL LOCATION (60-80 F) AWAY FROM SUNLIGHT AND ANY SOURCE OF HEAT. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT BEING USED.

Other Precautions: USE WITH ADEQUATE VENTILATION, AVOID PROLONGED OR REPEATED BREATHING OF VAPORS. AVOID SKIN CONTACT.

Exposure Controls

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:LOCAL EXHAUST IS PREFERRED, MECHANICAL EXHAUST IS ACCEPTABLE.

Protective Gloves: NEOPRENE RUB, NITRILE, IMPERVIOUS PLASTIC.

Eye Protection: CHEMICAL WORKERS SAFETY GOGGLES .

Other Protective Equipment: SAFETY SHOWER AND EYE BATH.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

(WASTE DISPOSAL METHOD) WOULD NOT BE CLASSIFIED AS A HAZARDOUS WASTE UNDER FEDERAL REGULATIONS IN EFFECT AT THE TIME OF PRINTING OF THIS MSDS.

Chemical Properties

HCC:N1 Spec Gravity:1.04 Solubility in Water:0.0

Appearance and Odor: A PASTE WITH A VINEGAR-LIKE ODOR SUPPLIED IN



VARIOUS COLORS.
Percent Volatiles by Volume:

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CO*2, CO, H*O2 VAPOR, OXIDES OF NITROGEN OR WIDE VARIETY OF INNOCUOUS OR TOX FUMES. ACETIC ACID, SILICON DIOXIDE.

Disposal

Waste Disposal Methods:DISP OF IN ACCD W/FEDERAL, STATE, AND LOCAL REGS. BE AWARE THAT STATE & LOCAL REQ MAY DIFFER WIDELY DEPENDING ON LOCATION & IN MANY CASES BE DIFF FROM FEDERAL RULES. WHEN INTG TO DISP OF THIS MATL, THE USER IS ADVISED THAT THIS PROD (SEE SUPP DATA).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.