

TRIM

MSDS Number

BLBTR

National Stock Number

6520-00N016736

Product Name

TRIM

Manufacturer

HARRY J BOSWORTH COMPANY

Product Identification

Product ID:TRIM

MSDS Date:01/01/1987

FSC:6520

NIIN:00N016736

MSDS Number: BLBTR

Responsible Party

HARRY J BOSWORTH COMPANY

7227 NORTH HAMLIN AVENUE

SKOKIE , IL 60076-9999

US

Emergency Phone: 312-679-3400

Info Phone: 312-679-33400

Cage: HO881

Contractor

HARRY J BOSWORTH COMPANY

SKOKIE, IL 60076-3999

US

312-679-3400

Cage: HO881

Ingredients

ETHYL METHACRYLATE POLYMER

Hazards

LD50 LC50 Mixture:LD50:(ORL/RAT)6500-12800 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:LIQUID OR HIGH VAPOR CONCENTRATION MAY IRRITATE EYES AND RESPIRATORY SYSTEM, AND CAUSE SKIN RASHES.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYE/SKIN: FLUSH EYES WITH WATER FOR AT LEAST 15 MIN. CALL MD IMMED. WASH SKIN WITH SOAP AND WATER. INHAL: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGEST: INDUCE VOMIT ING AND SEEK MD IMMED.

Fire Fighting

Flash Point Method:TCC

Flash Point:111F,44C
Extinguishing Media:CHEMICAL FOAM, CARBON DIOXIDE, DRY CHEMICALS, WATER
FOG (BY TRAINED PERSONNEL).
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP
. FIGHT FIRES FROM SAFE DIST OR PROTECTED AREAS. COOL CONTR OF MATL
EXPOS TO HEAT W/COLD H*2O SPRAY.
Unusual Fire/Explosion Hazard:SEALED CONTAINERS ELEVATED TO ELEVATED
TEMPERATURES MAY RUPTURE DUE TO POLYMERIZATION. LIQUID VAPORS ARE
HEAVIER THAN AIR AND MAY TRAVEL TO IGNITION SOURCE.

Accidental Release

Spill Release Procedures:LIQUID: EVACUATE AREA, ELIMINATE IGNITION
SOURCES. WEAR NIOSH/MSHA APPROVED SCBA EQUIPMENT. DIKE AND ABSORB
SPILLS WITH INERT MATERIAL AND TRANSFER TO SUITABLE CONTAINER FOR
DISPOSAL. POWDER: SWEEP UP INTO SUITABLE CONTAINER FOR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:REGULATIONS FOR STORAGE OF FLAMMABLE
LIQUID SHOULD BE FOLLOWED.
Other Precautions:GROUND CONTAINERS WHEN TRANSFERRING LIQUID. ALLOW AIR
SPACE TO EXIST INSIDE STORAGE CONTAINERS.

Exposure Controls

Respiratory Protection:WHEN VAPORS EXCEED 100 PPM, USE NIOSH/MSHA
APPROVED RESPIRATOR.
Ventilation:LOCAL EXHAUST SUFFICIENT TO KEEP CONTAINER UNDER 100 PPM.
Protective Gloves:IMPERVIOUS, NEOPRENE-TYPE GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:SAFETY SHOWER/EYE BATH, COVERALLS AND
OVERSHOES.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:311F,155C
Vapor Pres:3
Vapor Density:4.91
Spec Gravity:.889
Evaporation Rate & Reference:.5(REFERENCE N/K)
Appearance and Odor:LIQUID;COLORLESS, ACRYLIC ODOR. POWDER;SHADED VERY
FINE MESH

Stability

Stability Indicator/Materials to Avoid:YES
REDUCING & OXIDIZING AGENTS. MATERIAL HAS STRONG SOLVENT ACTION. CAN
SOFTEN PAINT AND RUBBER.
Stability Condition to Avoid:HEAT AND IGNITED SOURCES, STORE IN INERT
ATMOSPHERE, AVOID CONTAMINATION WITH FOREIGN MATERIALS.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
Conditions to Avoid Polymerization:EXCESSIVE HEAT, STORE IN ABSENCE OF
INHIBITOR, INADVERTANT ADDITION OF CATALYST.

Disposal

Waste Disposal Methods:MATERIALS SHOULD NOT BE ALLOWED TO DRAIN TO
SEWERS. INCINERATE LIQUID IN PROPER CONTAINERS. ABSORBED MATERIAL
CAN BE LANDFILLED ACCORDING TO LOCAL, STATE, AND FEDERAL
REGULATIONS. BIOLOGICAL DIGESTION CAN BE CONSIDERED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.