

LIFETIME, W-800 LINE

MSDS Number

BLBWK

National Stock Number

8010-00N016859

Product Name

LIFETIME, W-800 LINE

Manufacturer

SPECTRA TONE PAINT CORP

Product Identification

Product ID:LIFETIME, W-800 LINE

MSDS Date:01/01/1987

FSC:8010

NIIN:00N016859

MSDS Number: BLBWK

Responsible Party

SPECTRA-TONE PAINT CORP

9635 KLINGERMANN ST

S EL MONTE , CA 91733

US

Emergency Phone: 213-686-1246

Info Phone: 213-686-1246

Cage: 52100

Contractor

SPECTRA-TONE PAINT CORP

SAN BERNADINO, CA 92408-2946

US

800-272-4687/818-442-7269

Cage: 52100

Ingredients

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 5.0%

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHALATION MAY CAUSE HEADACHE

AND NAUSEA. SKIN OR EYE CONTACT MAY IRRITATE AS MATERIAL IS

SLIGHTLY ALKALINE. CHRONIC: NONE RECOGNIZED.

Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE 0*2/ART RESP) . INGEST:DRINK LOTS OF WATER TO DILUTE: DO NOT INDUCE VOMITING. SEE A PHYSICIAN. EYE:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. S KIN:WASH WITH SOAP AND WATER.

Fire Fighting

Flash Point:NONE
Lower Limits:3.2%
Extinguishing Media:USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRES .
Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED WITH NIOSH/MSHA APPROVED SCBA TO PROTECT AGAINST ANY POTENTIALLY TOXIC OR IRRITATING FUMES.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. WATER MAY BE HELPFUL IN COOLING UNRUPTURED CONTAINERS.

Accidental Release

Spill Release Procedures:CLEAN UP SPILL IMMEDIATELY BY SOAKING UP WITH CLAY, SAND, ETC. FLUSH WITH WATER. PLACE IN NON-LEAKING CONTAINERS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN DRY, WELL VENTILATED PLACE, AWAY FROM EXCESSIVE HEAT.
Other Precautions:AVOID UNNECESSARY CONTACT (SKIN, EYES, ETC.) DO NOT TAKE INTERNALLY. USE WITH ADEQUATE VENTILATION.

Exposure Controls

Respiratory Protection:IF TLV IS EXCEEDED, USE A NIOSH/MSHA APPROVED RESPIRATOR OR A SELF CONTAINED BREATHING APPARATUS. USE MECHANICAL FILTER TO REMOVE SOLID AIRBORNE PARTICLES DURING SPRAY APPLICATION.
Ventilation:GENERAL MECHANICAL VENTILATION MAY BE SUFFICIENT TO KEEP EXPOSURE BELOW TLV.
Protective Gloves:NEOPRENE GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:APRONS, EYE WASHES, SAFETY SHOWERS
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
BOILING RANGE:ESSENTIALLY THAT OF WATER.

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:SUPP DATA
Vapor Pres:.1MM HG
Vapor Density:>THAN AIR
Evaporation Rate & Reference:Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:65

Stability

Stability Indicator/Materials to Avoid:YES
NONE REASONABLE FORESEEABLE.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:MAY PRODUCE FUMES WHEN HEATED TO DECOMPOSITION. MAY RELEASE CO, CO2, AND OXIDES OF NITROGEN.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.