

## **FIRST PLACE STAINLESS STEEL CLEANER AND POL**

### **MSDS Number**

BLBWV

### **National Stock Number**

7930-00N016892

### **Product Name**

FIRST PLACE STAINLESS STEEL CLEANER AND POL

### **Manufacturer**

AIRKEM PROFESSIONAL PRODUCTS

### **Product Identification**

Product ID:FIRST PLACE STAINLESS STEEL CLEANER AND POL

MSDS Date:09/17/1987

FSC:7930

NIIN:00N016892

MSDS Number: BLBWV

### **Responsible Party**

AIRKEM PROFESSIONAL PRODUCTS

370 WABASHA ST N

ST PAUL , MN 55102-1307

US

Emergency Phone: 800-328-0026

Info Phone: 612-451-4115

Cage: 89044

### **Contractor**

AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC

ST. PAUL, MN 55102-1307

US

800-328-0026

Cage: 89044

### **Ingredients**

ALKANES, C-3 TO C-4 (ALKANE)

CAS: 68475-59-2

Fraction By Weight: 15%

ACGIH TLV: 1800 MG/M3 (MFR)

PETROLEUM DISTILLATE

CAS: 68742-48-9

Fraction By Weight: 10%

OSHA PEL1350 MG/M3; 400 PPM

ACGIH TLV: 300PPM(VM&P NAPHTHA)

WATER

CAS: 7732-18-5

RTECS: ZC0110000

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SKIN/EYE:MAY CAUSE IRRITATION.  
INHAL:HARMFUL. MAY CAUSE BREATHING DIFFICULTIES, DIZZINESS,  
HEADACHE OR UNCONSCIOUSNESS.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYE:FLUSH IMMEDIATELY WITH PLENTY OF COOL RUNNING WATER.  
REMOVE CONTACT LENSES. CONTINUE FLUSHING FOR 15 MINUTES. SKIN:FLUSH  
SKIN WITH PLENTY OF COOL RUNNING WATER. WASH THOROUGHLY WITH SOAP  
AND WATER . INHAL:MOVE IMMEDIATELY TO FRESH AIR; IF BREATHING IS  
DIFFICULT, ADMINISTER OXYGEN. INGEST:CALL MD IMMEDIATELY. IF  
IRRITATION OR DISCOMFORT PERSISTS, CALL MD.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM.  
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE-WATER SPRAY MAY BE  
USED TO KEEP FIRE EXPOSED CONTAINERS COOL. TO REDUCE FLAMMABILITY,  
SHAKE WELL BEFORE USING.  
Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE.  
AVOID BREATHING VAPORS AND REMOVE WITH INERT ABSORBENT. USE PROPER  
PROTECTIVE EQUIPMENT.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. DO NOT SPRAY  
NEAR FIRE OR OPEN FLAME. EXPOSURE TO SUNLIGHT OR OTHER HEAT MAY  
CAUSE BURSTING.  
Other Precautions:AVOID BREATHING MISTS OR VAPORS CONTAINING PRODUCT.  
KEEP OUT OF REACH OF CHILDREN. TO REDUCE FLAMMABILITY, SHAKE WELL  
BEFORE USING.

## Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR  
EXPOSURE OF CONCERN .  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:NONE SPECIFIED BY MANUFACTURER.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

HCC:F3  
Spec Gravity:0.941  
Solubility in Water:COMPLETE  
Appearance and Odor:VISCOUS, OPAQUE LEMON SCENTED LIQUID.

## Stability

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.  
Stability Condition to Avoid:FIRE, OPEN FLAME. STORAGE ABOVE 120F.  
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

---

## Disposal

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE CONTAINER. CONSULT FEDERAL, STATE, AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.