

# LIQUID ELECTRICAL TAPE 12-4046, 84135

### **MSDS Number**

**BLBZK** 

#### **National Stock Number**

3611-00N017043

#### **Product Name**

LIQUID ELECTRICAL TAPE 12-4046, 84135

#### Manufacturer

STAR BRITE

#### **Product Identification**

Product ID:LIQUID ELECTRICAL TAPE 12-4046, 84135 MSDS Date:01/01/1991

FSC:3611

NIIN:00N017043 MSDS Number: BLBZK

# **Responsible Party**

STAR BRITE

4041 S W 47 AVENUE

FT LAUDERDALE, FL 33314

Emergency Phone: 305-587-6280

Info Phone: 305-587-6280 Preparer: JEFF TIEGER

Cage: 0GR42

#### Contractor

STAR BRITE DISTRIBUTING INC

FORT LAUDERDALE, FL 33314-4023

US

954-587-6280 Cage: 0GR42

## **Ingredients**

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL ACGIH TLV: 50 PPM; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

METHYL ETHYL KETONE PEROXIDE (MEKP) (SARA III)

CAS: 1338-23-4 RTECS: EL9480000 OSHA PELC 0.7 PPM ACGIH TLV: C 0.2; 9192



EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

VINYL RESIN

PIGMENT

#### **Hazards**

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: NO Ingestion: NO Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: EYE: TRANSIENT IRRITATION. SKIN: IRRITATION. CHRONIC: HEADACHE, NAUSEA, DIZZINESS, DROWSINESS.

Explanation of Carcinogenicity: NOT RELEVANT.

Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

#### First Aid

First Aid:INGEST: DO NOT INDUCE VOMITING. CALL PHYSICIAN. INHALATION: REMOVE SUBJECT TO FRESH AIR. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. EYE: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES.

## **Fire Fighting**

Flash Point Method:TCC Flash Point:23.0F,-5.0C

Extinguishing Media:CO\*2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:PRODUCTS OF COMBUSTION ARE OXIDES OF

CARBON.

### **Accidental Release**

Spill Release Procedures: REMOVE UNNECESSARY PERSONNEL, REMOVE ALL SOURCES OF IGNITION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

### Handling

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

### **Exposure Controls**

Respiratory Protection: WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE

FOR EXPOSURE OF CONCERN .

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

#### **Chemical Properties**

HCC:F3

Spec Gravity:1.11

Solubility in Water:INSOLUBLE

Appearance and Odor:THICK BLACK LIQUID.

Percent Volatiles by Volume: 57.05

# Stability

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: OXIDES OF CARBON.



### **Disposal**

Waste Disposal Methods: COMPLY WITH LOCAL, STATE AND FEDERAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.