

# XEROX 2700/3700/8040 EP DRY IMAGER, 6527

## **MSDS Number**

**BLCPT** 

### **National Stock Number**

6750-00N018542

## **Product Name**

XEROX 2700/3700/8040 EP DRY IMAGER, 6527

#### Manufacturer

PELIKAN INC

## **Product Identification**

Product ID:XEROX 2700/3700/8040 EP DRY IMAGER, 6527 MSDS Date:02/16/1989

FSC:6750

NIIN:00N018542 MSDS Number: BLCPT

# **Responsible Party**

PELIKAN INC

ONE IMAGING LANE

DERRY, PA 15627

US

Emergency Phone: 412-694-2792

Info Phone: 800-245-6822

Cage: FO912

Contractor

# PELIKAN INC TONER DEVELOPER DIV

DERRY, PA 15627

US

(412) 694-2792

Cage: 47811

## **Ingredients**

BISPHENOL A PROPYLENE OXIDE FUMARATE; (EPOXY POLYESTER)

CAS: 39382-25-7

Fraction By Weight: 85-95%

CARBON BLACK CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 5-15%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

SILICON DIOXIDE, AMORPHOUS; (AMORPHOUS SILICA)

CAS: 7631-86-9



ZINC STEARATE

CAS: 557-05-1

RTECS: ZH5200000 Fraction By Weight:

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

#### Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF NON-TOXIC DUST.

Explanation of Carcinogenicity: NOT RELEVANT. Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE WHEN USED AS DESCRIBED BY

PRODUCT LITERATURE.

#### First Aid

First Aid: EYE: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHAL: REMOVE FROM EXPOSURE. INGEST: DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER.

# Fire Fighting

Extinguishing Media: WATER, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: AVOID INHALATION OF SMOKE. WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: TONER IS A COMBUSTIBLE POWDER. WHEN DISPERSED IN AIR, IF FORMS EXPLOSIVE MIXTURES.

## **Accidental Release**

Spill Release Procedures: LOOSE TONER CAN BE REMOVED USING A VACUUM CLEANER. RESIDUE CAN BE REMOVED WITH SOAP AND COLD WATER. AFTER REMOVAL OF LOOSE TONER, GARMENTS MAY BE WASHED OR DRY CLEANED. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions: AVOID PROLONGED INHALATION OF EXCESSIVE DUST.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

### **Exposure Controls**

Respiratory Protection: NONE REQUIRED WHEN USE AS INTENDED IN COPIER OR PRINTER EQUIPMENT. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: NONE REQUIRED.

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

# **Chemical Properties**

HCC:N1

Spec Gravity:1

Solubility in Water: NEGLIGIBLE

Appearance and Odor: BLACK POWDER/FAINT ODOR

## **Stability**

Stability Indicator/Materials to Avoid:YES



NONE.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: PRODUCTS OF COMBUSTION ARE TOXIC. AVOID BREATHING SMOKE.

# **Disposal**

Waste Disposal Methods: DO NOT INCINERATE. NO SPECIAL TECHNIQUES BEYOND NORMAL PRACTICE. INSURE CONFORMITY WITH FEDERAL, STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.