

## **VARATHANE PROFESSIONAL CLEAR FINISH,GLOSS,(**

### **MSDS Number**

BLGNS

### **National Stock Number**

8010-00N019357

### **Product Name**

VARATHANE PROFESSIONAL CLEAR FINISH,GLOSS,(

### **Manufacturer**

FLECTO COMPANY INC

### **Product Identification**

Product ID:VARATHANE PROFESSIONAL CLEAR FINISH,GLOSS,(

MSDS Date:06/17/1988

FSC:8010

NIIN:00N019357

MSDS Number: BLGNS

### **Responsible Party**

FLECTO COMPANY INC

1000 45TH ST

OAKLAND , CA 94608

US

Emergency Phone: 415-655-2470

Info Phone: 415-655-2470

Cage: HO984

### **Contractor**

FLECTO COMPANY INC

12955

OAKLAND, CA 94608

US

415-655-2470

Cage: HO984

### **Ingredients**

STODDARD SOLVENT

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 36-39%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293

### **Hazards**

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYE:PRIMARY IRRITATION.

INHAL/INGEST:A BURNING SENSATION IN THE NOSE & THROAT, COUGH, A

FEELING OF DIFFICULTY BREATHING. ALSO HEADACHE, DIZZINESS,

STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS OR C OMA. ACUTE:BOTH A

RESPIRATORY TRACT IRRITANT & A CENTRAL NERVOUS SYSTEM DEPRESSANT.

CHRONIC:UNKNOWN AT THIS TIME.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:ANESTHESIA, RESPIRATORY TRACT  
IRRITATION, DERMATITIS, NAUSEA & VOMITING.

## First Aid

First Aid:EYE:FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER FOR AT LEAST  
15 MINS. CONSULT MD. SKIN:WASH AFFECTED AREAS W/SOAP & WATER.  
CONSULT MD IF IRRITATION PERSISTS. INHAL:REMOVE TO FRESH AIR.  
RESTORE BREATHIN G. CONSULT MD. INGEST:DO NOT INDUCE VOMITING. CALL  
MD IMMEDIATELY.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:105F,41C  
Lower Limits:1.0%  
Extinguishing Media:FOAM, CARBON DIOXIDE & DRY CHEMICAL.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP  
. FIGHT AS VOLATILE LIQ FIRE. USE WATER TO KEEP FIRE EXPOSED CONTRS  
COOL TO REDUCE PRESS.  
Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID  
BREATHING VAPORS. VENTILATE & REMOVE W/INERT ABSORBENT.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:DO NOT STORE OR USE NEAR HEAT, SPARKS  
OR FLAME. DO NOT STORE IN A HIGH TEMPS AREA. DO NOT GET IN EYES.  
Other Precautions:DO NOT TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.

## Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED MASK OR RESPIRATOR FOR  
ORGANIC VAPORS AS NECESSARY.  
Ventilation:ADEQUATE VOLUME & PATTERN TO AVOID VAPOR CONCENTRATION IN  
EXCESS OF TLV OR LEL.  
Protective Gloves:NEOPRENE OR RUBBER GLOVES.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:USE IMPERMEABLE APRONS & PROTECTIVE CLOTHING  
WHENEVER POSSIBLE.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
MFRS TRADE NAME/PART NO:SEMI-GLOSS, SATIN HIGH SOLIDS, 900 HS.

## Chemical Properties

HCC:F4  
Boiling Pt:B.P. Text:>315F,157C  
Vapor Density:>1  
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR AMBER APPEARANCE W/A MILD ALIPHATIC ODOR.  
Percent Volatiles by Volume:44.6

## Stability

Stability Indicator/Materials to Avoid:YES  
MAY REACT W/STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:EXCESSIVE HEAT, POOR VENTILATION,  
CORROSIVE ATMOSPHERES, EXCESSIVE AGING, SPARKS OR OPEN FLAME.  
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

## Disposal

Waste Disposal Methods:NORMAL WASTE DISPOSAL METHODS. DO NOT INCINERATE  
IN CLOSED CONTAINERS. DISPOSE OF ALL WASTE IN ACCORDANCE W/FEDERAL,  
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.