

RTV668B

MSDS Number

BLHNS

National Stock Number

8030-00N019705

Product Name

RTV668B

Manufacturer

GENERAL ELECTRIC COMPANY

Product Identification

Product ID:RTV668B
MSDS Date:09/12/1988
FSC:8030
NIIN:00N019705
Kit Part:Y
MSDS Number: BLHNS

Responsible Party

GENERAL ELECTRIC COMPANY

HUDSON RIVER ROAD

WATERFORD , NY 12188

US

Emergency Phone: 518-237-3330

Info Phone: 518-237-3330

Preparer: D A POLSINELLI

Cage: 01139

Contractor

GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

WATERFORD, NY 12188

US

518-237-3330/800-332-3390

Cage: 01139

Ingredients

NON-HAZARDOUS INGREDIENTS

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:(ACUTE) INGEST: MAY CAUSE STOMACH DISCOMFORT. SKIN: MAY CAUSE MILD SKIN IRRITATION. INHAL: NONE KNOWN. EYES: MAY CAUSE MILD EYE IRRITATION. (CHRONIC) NONE KNOWN.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:INGEST: IF SWALLOWED DO NOT INDUCE VOMITING, GIVE LARGE QTYS OF WATER TO DRINK AND CALL MD, NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: WASH WITH SOAP AND WATER. INHAL: REMOVE

TO FRESH AIR. SUPPORT BREATHING (GIVE O₂/ARTIFICIAL RESPIRATION) .
EYES: IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF
WATER FOR AT LEAST 15 MINUTES AND CALL MD IF IRRIT PERSISTS.

Fire Fighting

Flash Point Method:PMCC
Flash Point:>250F,>121C
Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures:WASH WALKING SURFACES WITH DETERGENT AND WATER
TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIP AS
SPECIFIED IN THE PROTECTIVE EQUIP SECTION. WIPE, SCRAPE, OR SOAK UP
IN AN INERT MATERIAL & PUT IN A CNTNR INTENDED FOR FLAM MATLS
FOR DISP.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE UPRIGHT IN A COOL PLACE BELOW
30C(85F) . KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID CONTACT
W/SKIN & EYES. DO NOT REUSE THIS CONTAINER.
Other Precautions:CAUTION! KEEP CONTAINER CLOSED WHEN NOT IN USE TO
PREVENT CONTACT WITH ACIDIC, BASIC/OXIDIZING MATERIALS, AND
METALLIC CATALYSTS LIKE TIN SOAPS AND NOBLE METALS (PT, RH, ETC).

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN .
Ventilation:NONE KNOWN.
Protective Gloves:CLOTH GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:EYEWASH STATIONS.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:>500F,>260C
Vapor Pres:NEGLIGIBLE
Vapor Density:NEGLIGIBLE
Spec Gravity:1.03
Evaporation Rate & Reference:Solubility in Water:INSOLUBLE
Appearance and Odor:BLUE LIQUID WITH SULFUR ODOR.
Percent Volatiles by Volume:

Stability

Stability Indicator/Materials to Avoid:YES
AVOID CONT W/ACIDIC, BASIC/OXIDIZING AGENTS & METALLIC CATALYSTS LIKE
TIN SOAPS AND NOBLE METALS (PT, RH, ETC).
Stability Condition to Avoid:PRODUCT GENERATES FLAMMABLE GAS ON CONTACT
WITH ACIDS, BASES OR OXIDIZING MATERIALS.
Hazardous Decomposition Products:CO, CO₂, SILICON DIOXIDE.

Disposal

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.