

## **Q3-6605 THERMALLY COND ELAST PART B**

### **MSDS Number**

BLXWC

### **National Stock Number**

8030-00N021227

### **Product Name**

Q3-6605 THERMALLY COND ELAST PART B

### **Manufacturer**

DOW CORNING CORP

### **Product Identification**

Product ID:Q3-6605 THERMALLY COND ELAST PART B

MSDS Date:08/11/1986

FSC:8030

NIIN:00N021227

MSDS Number: BLXWC

### **Responsible Party**

DOW CORNING CORP

SOUTH SAGINAW ROAD

MIDLAND , MI 48686

US

Emergency Phone: 517-496-5900

Info Phone: 517-496-5900

Preparer: JACK L SHENEGER

Cage: 5D028

### **Contractor**

DOW CORNING CORP

AUBURN, MI 48611

US

517-496-4388

Cage: 71984

### **Ingredients**

NON HAZARDOUS INGREDIENTS

### **Hazards**

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE TEMPORARY DISCOMFORT.

SKIN: SINGLE, PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECT.

INHAL:NO IRRITATION TO NOSE OR THROAT EXPECTED. NO INJURY IS LIKELY FROM RELATIVELY SHORT EXPOSURE. INGEST:AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS, ETC., DURING NORMAL OPERATIONS SHOULD NOT CAUSE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ:INJRUY. COMMENTS:NO KNOWN ADVERSE CHRONIC HEALTH EFFECTS, BUT UNNECESSARY EXPOSURE TO ANY CHEMICAL SHOULD BE AVOIDED. THIS PRODUCT, AS WITH ANY CHEMICAL, MAY ENHANCE ALLERGIC CONDITIONS ON CE RTAIN PEOPLE.

Medical Cond Aggravated by Exposure:NONE KNOWN.

---

## First Aid

First Aid:EYE:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN:WIPE OFF AND FLUSH WITH WATER. INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O2/ARTIFICIAL RESPIRATION) . INGEST:CALL MD IMMEDIATELY (FP N ).

## Fire Fighting

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE KNOWN TO DOW CORNING.

## Accidental Release

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:USE REASONABLE CARE AND CAUTION. STORE BELOW 90F.

Other Precautions:PRECAUTIONS ARE FOR ROOM TEMPERATURE HANDLING, USE AT ELEVATED TEMPERATURES, OR AEROSOL/SPRAY APPLICATION, MAY REQUIRE ADDED PRECAUTIONS.

## Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED. NIOSH/MSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:MECHANICAL EXHAUST RECOMMENDED.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:GOOD PRACTICE REQUIRES THAT GROSS AMOUNT OF ANY CHEMICAL BE REMOVED FROM THE SKIN AS SOON AS PRACTICAL, (SUPP DATA)

Supplemental Safety and Health

HYGIENE PRACT:ESPECIALLY BEFORE EATING OR SMOKING. WASHING AT MEALTIME AND END OF SHIFT IS ADEQUATE.

## Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:Spec Gravity:2.1

Evaporation Rate & Reference:Solubility in Water:Appearance and Odor:VERY LITTLE ODOR, PASTE-LIKE, GRAY.

Percent Volatiles by Volume:

## Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL CAN CAUSE A REACTION.

Stability Condition to Avoid:ACID OR BASIC MATERIALS AND MANY METALS OR METALLIC COMPOUNDS, WHEN IN CONTACT WITH PRODUCT, LIBERATE FLAMM HYDROGEN GAS

Hazardous Decomposition Products:METAL OXIDES, SILICON DIOXIDE, CARBON DIOXIDE, AND TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS.

## Disposal

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS . CONTACT DOW CORNING IF THERE ARE ANY DISPOSAL QUESTIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.