

ACRYLIC LATEX ENAMELIZED HOUSE PAINT, W2544

•

MSDS Number

BLZZJ

National Stock Number

8010-00N024133

Product Name

ACRYLIC LATEX ENAMELIZED HOUSE PAINT, W2544

Manufacturer

AMERITONE PAINT CORP

Product Identification

Product ID:ACRYLIC LATEX ENAMELIZED HOUSE PAINT, W2544 MSDS Date:11/20/1987 FSC:8010 NIIN:00N024133 MSDS Number: BLZZJ

Responsible Party

AMERITONE PAINT CORP

18414 S SANTA FE AVE

COMPTON, CA 90221

US

Emergency Phone: 213-639-6791

Info Phone: 213-639-6791

Cage: FO133

Contractor

AMERITONE PAINT CORP/COMPTON, CA 90221

190

LONG BEACH, CA 90801

US

310-639-6791

Cage: FO133

Ingredients

NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHAL: IRRITATION OF THE RESPIRATORY TRACT; HEADACHE, NAUSEA, DIZZINESS. SKIN/EYE: PRIMARY IRRITATION. CHRONIC: PROLONGED AND REPEATED BREATHING OF SPRAY MIST &/SANDING DUST OVER A PERIOD OF YE ARS MAY CAUSE DUST DISEASE OF THE LUNGS. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE WHEN USED IN ACCORDANCE WITH SAFE HANDLING AND USE INFORMATION.

First Aid

First Aid: INHAL: REMOVE TO FRESH AIR. EYES: FLUSH IMMEDIATELY WITH



LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN FOR MEDICAL TREATMENT. SKIN: REMOVE WITH SOAP AND WATER. REMOVE SOILED CLOT HING. INGEST: DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING. CONSULT PHYSICIAN IMMEDIATELY. TREAT SYMPTOMATICALLY.

•

Fire Fighting

Flash Point:NONE Lower Limits:SEE INGRED Extinguishing Media:CO*2, DRY CHEMICAL, FOAM OR OTHER NFPA APPROVED METHOD TREATING CLASS B FIRE. Fire Fighting Procedures:USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . WATER SPRAY MAY BE INEFTIVE. IF WATER IS USED, FOG NOZ ARE PREF. IF EXPOS TO FIRE/EXTREME HEAT,(SUPP DATA)

Unusual Fire/Explosion Hazard:DUE TO PRESS BUILDUP, CLSD CNTNRS EXPOSED TO EXTREME HEAT MAY EXPLODE. DURING EMERG CNDTNS, OVEREXP TO DECOMP PRODS MAY CAUSE A HLTH HAZ. SYMPS MAY (SUPP DATA)

Accidental Release

Spill Release Procedures: WASH WITH WATER. BEFORE ATTEMPTING CLEAN-UP, REFER TO HAZARD CAUTION INFORMATION IN MSDS FORM. CONTAIN SPILLED MATERIAL AND REMOVE WITH INERT ABSORBENT. STORE IN CLOSED CONTAINER UNTIL PROPERLY DISPOS ED OF.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE BELOW 110F AND KEEP FROM FREEZING. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT REUSE EMPTY CONTAINERS.

Other Precautions: DO NOT TRANSFER CONTENTS TO BOTTLES OR OTHER UNLABELLED CONTAINERS. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection: DO NOT BRTH VAP/SPRAY/MIST/SANDING DUST. WHEN SPRAY APPLIED IN OUTDOOR/OPEN AREAS W/UNRESTRICTED VENT & DURING SANDING/GRINDING OPERATIONS, USE NIOSH/MSHA APPRVD MECH FILTER RESP DESIGNED TO REMOVE SO LID AIRBORNE PARTICLES OF (ING 8) Ventilation: USE ONLY W/ADEQ VENT. PROVIDE GENL DILUTION/LOC EXHST VENT IN VOL & PATTERN TO KEEP AIR CONTAM CONC < CURRENT(SUPP DATA) Protective Gloves: IMPERVIOUS GLOVES . Eye Protection: CHEMICAL WORKERS GOGGLES . Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices: REMOVE AND WASH SOILED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING, SMOKING OR USING THE WASHROOM. Supplemental Safety and Health FIRE FIGHT PROC: WATER SHOULD BE USED TO COOL CLSD CNTNRS & PVNT PRESS BUILDUP/POSS AUTO-IGNIT. EXPLO HAZ:NOT BE IMMED APPARENT. OBTAIN MED ATTN, VENT: APPLIC SAFETY & HLTH STDS IN MIX, APPLIC & CURIN G AREAS & TO REMOVE SANDING DUSTS OF DRIED COATING & DECOMP PROD DURING WELDING/FLAME CUTTING ON SURF COATED W/PRODUCT.

Chemical Properties

HCC:N1 Boiling Pt:B.P. Text:212F,100C Vapor Pres:SEE INGRED Vapor Density:HVR/AIR Evaporation Rate & Reference:SLOWER THAN ETHER Appearance and Odor:NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume:65-70

Stability

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:MAY CAUSE HAZARDOUS FUMES WHEN HEATED DECOMPOSITION. FUMES MAY CONTAIN CO, CO*2, NO*X.



Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATE ONLY IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.