

VISTAR 955 NEGATIVE PLATE DEVELOPER

MSDS Number

BMCTW

National Stock Number

6750-00N026099

Product Name

VISTAR 955 NEGATIVE PLATE DEVELOPER

Manufacturer

POLYCHROME CORP

Product Identification

Product ID:VISTAR 955 NEGATIVE PLATE DEVELOPER

MSDS Date:09/18/1989

FSC:6750

NIIN:00N026099

MSDS Number: BMCTW

Responsible Party

POLYCHROME CORP

137 ALEXANDER ST

YONKERS , NY 10702

US

Emergency Phone: 800-424-9300(CHEMTREC)

Info Phone: 914-378-4567

Preparer: RALPH H. GIGI

Cage: 86550

Contractor

POLYCHROME CORP

CARLSTADT, NJ 07072-5000

US

201-531-5814

Cage: 86550

Ingredients

BENZYL ALCOHOL

CAS: 100-51-6

RTECS: DN3150000

Fraction By Weight: 3.71%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION MAY CAUSE DIGESTIVE SYSTEM IRRITATION. BENZYL ALCOHOL IS IRRITATING TO SKIN ON CONTACT; IT IS ALSO SEVERE EYE IRRITANT.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYES:FLUSH WITH WATER FOR A MINIMUM OF 15 MIN AND GET MED ATTN. SKIN:IMMED WASH SKIN WITH SOAP AND WATER, REMOVE CONTAMINATED CLOTHES. INGEST:INDUCE VOMIT, GIVE 3-4 GLASSES OF WATER. CALL PHYS. INHAL: REMOVE TO FRESH AIR. SUPPORT BRTHG. (GIVE O*2/ARTF RESP) .

Fire Fighting

Flash Point:NON-FLAMMABLE
Extinguishing Media:FOAM, CO*2.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE EXPECTED.

Accidental Release

Spill Release Procedures:CONTAIN AND MOP-UP SPILLED MATERIAL. FLUSH AREA WITH LARGE AMOUNTS OF WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE. KEEP CONTAINERS CLOSED. USE WITH ADEQUATE VENTILATION.
Other Precautions:WASH HANDS AFTER USING PRODUCT. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:LOCAL EXHAUST DESIRABLE. MECHANICAL REQUIRED.
Protective Gloves:RUBBER GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:PROTECTIVE APRON.
Work Hygienic Practices:WASH HANDS AFTER USING PRODUCT.
Supplemental Safety and Health
PH: 9.3-9.7

Chemical Properties

HCC:B3
Boiling Pt:B.P. Text:212F,100C
Vapor Pres:23.8@BP
Vapor Density:1@BP
Spec Gravity:1.077@25C
pH:SUPDAT
Evaporation Rate & Reference:Solubility in Water:100%
Appearance and Odor:AMBER COLOR LIQUID WITH NO ODOR.
Percent Volatiles by Volume:60(WT)

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS.
Hazardous Decomposition Products:NOT ESTABLISHED.

Disposal

Waste Disposal Methods:SPENT MATERIAL MAY BE DISCHARGED TO WASTEWATER TREATMENT FACILITY IF PERMITTED BY LOCAL REGULATIONS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.