https://msdsreport.com/msds/BMDNQ

•

TECTYL 802A

MSDS Number

BMDNQ

National Stock Number

9150-00-231-2361

Product Name

TECTYL 802A

Manufacturer VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC

Product Identification

Product ID:TECTYL 802A MSDS Date:12/09/1992 FSC:9150 NIIN:00-231-2361 MSDS Number: BMDNO

Responsible Party

VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC.

200 E MAIN ST

LEXINGTON , KY 40512

US

Emergency Phone: 800-ASHLAND/800-274-5263

Info Phone: 606-264-7000/7616;FAX 601-429-0537

Cage: 72527

Contractor

VALVOLINE OIL CO

14000

LEXINGTON, KY 40512

US

606-357-7206 / 800-274-5263

Cage: 72527

Ingredients

HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM

CAS: 64742-52-5

RTECS: PY8035000

Fraction By Weight: 85-100%

ORGANIC SALT (CONTAINING 3.4% BARIUM, & SULFONATES)

Fraction By Weight: 1-5%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION. SKIN:PROLONGED EXPOSURE MAY CAUSE IRRITATION, ALLERGIC REACTION AND DERMATITIS. INHALATION OF MIST:MAY CAUSE IRRITATION OF NASAL AND RESPIRATORY PASSAGES. INGESTION:MAY CAUS E GASTROINTESTINAL



IRRITATION., ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

•

Effects of Overexposure:EYES:SEVERE IRRITION. SKIN:MOD. IRRITION. INHAL:NASAL & RESPIRATORY IRRITATION. INGESTION:NAUSEA, VOMITING AND DIARRHEA.

Medical Cond Aggravated by Exposure: PERSON WITH RESPIRATORY DISORDERS OR SKIN DISEASE MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid

First Aid:SKIN:WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING; LAUNDER BEFORE REUSE. EYES:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION:DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL ATTENTION. INHALATION:REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point:>200F,>93C

Extinguishing Media:REGULAR FOAM,DRY CHEMICAL,CARBON DIOXIDE. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS W/FULL FACEPIECE IN POSITIVE PRESSURE MODE.WATER OR FOAM MAY CAUSE DANGEROUS FROTHING IF SPRAYED INTO HOT,BURNING LIQUID. Unusual Fire/Explosion Hazard:PRODUCT CONTAINER CAN IGNITE EXPLOSIVELY.

Accidental Release

Spill Release Procedures: ABSORB SMALL SPILLS WITH VERMICULITE OR LIKE ADSORBANT. DIKE LARGE SPILLS TO AVOID ENTRY INTO WATERWAYS. USE PROPER PROTECTIVE EQUIPMENT. PUMP INTO SALVAGE TRUCK. Neutralizing Agent: NONE.

Handling

Handling and Storage Precautions:AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE OR STORE ONLY WITH ADEQUATE VENTILATION. KEEP AWAY FROM SPARKS AND FLAMES. Other Precautions:DO NOT USE A CUTTING OR WELDING TORCH NEAR CONTAINER EVEN WHEN EMPTY.

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES. Ventilation:SUFFICIENT MECHANICAL(GEN) &/OR LOCAL EXHAUST TO MAINTAIN TLV. Protective Gloves:NEOPRENE Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:WEAR IMPERVIONS CLOTHING & BOOTS. Work Hygienic Practices:WEAR SEPERATE WORK CLOTHES FROM STREET CLOTHES. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health

NONE.

Chemical Properties

HCC:V6 Boiling Pt:B.P. Text:>550F,288C Vapor Pres:Spec Gravity:0.945-0.928 Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE Appearance and Odor:PALE LIQUID, LUBRICATING OIL ODOR.

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:SPARKS,SOURCES OF IGNITION. Hazardous Decomposition Products:CO2, CO, VARIOUS HYDROCARBONS.

Disposal

Waste Disposal Methods:DISPOSAL SHALL BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.



https://msdsreport.com/msds/BMDNQ

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.