

# 915 BELT GRAB

# **MSDS Number**

**BMHTT** 

## **National Stock Number**

6850-00F020113

## **Product Name**

915 BELT GRAB

#### Manufacturer

DYNATRON BONDO CORP

# **Product Identification**

Product ID:915 BELT GRAB MSDS Date:07/02/1988 FSC:6850 NIIN:00F020113

MSDS Number: BMHTT

# **Responsible Party**

DYNATRON/BONDO CORP

3700 ATLANTA INDUSTRIAL PKY NW

ATLANTA, GA 30331-1098

Emergency Phone: (404) 696-2730 OR 971-1502 Info Phone: (404) 696-2730 OR (800) 241-3386

Preparer: S. ABDUL RAZZAK

Cage: 16522 Contractor

BONDO/MAR-HYDE CORP

ATLANTA, GA 30331

US

404-696-2730 Cage: 16522

# **Ingredients**

**POLYBUTENE** 

CAS: 9003-29-6 RTECS: EM9032000 Fraction By Weight:

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (CHLOROTHENE NU),

CAS: 71-55-6

RTECS: KJ2975000 Fraction By Weight: 2% OSHA PEL350 PPM

ACGIH TLV: 1910 MG/CUM

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS



DIETHYLENE ETHER (DIOXANE), (DIETHYLENE DIOXIDE),

CAS: 123-91-1 RTECS: JG8225000 OSHA PELS, 100 PPM

ACGIH TLV: S, 25 PPM; 9293 EPA Report Quantity: 100 LBS DOT Report Quantity: 100 LBS

#### Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT): >34.6 G/KG POLYBUTENE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: ABSORPTION, IRRITATION, & DEFATTING. INHALATION: PERMANENT BRAIN & NERVOUS

SYSTEM DAMAGE.

Explanation of Carcinogenicity:1,4-DIOXANE IS AN A2 ANIMAL CARCINOGEN. Effects of Overexposure:EYES: IRRITATION. SKIN: ABSORPTION, IRRITATION, & DEFATTING. INHALATION: PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE. Medical Cond Aggravated by Exposure:SKIN, LIVER & CARDIAC CONDITIONS

### First Aid

First Aid: EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

# Fire Fighting

Flash Point:>235F

Extinguishing Media: CO2, DRY CHEMICAL, ALCOHOL FOAM & WATER SPRAY

# **Accidental Release**

Spill Release Procedures: WIPE UP OR SCRAPE INTO CONTAINER FOR DISPOSAL.

## Handling

Handling and Storage Precautions: NONE REQUIRED WHEN USED AS DIRECTED.

# **Exposure Controls**

Respiratory Protection: NOT NORMALLY NECESSARY IN NORMAL USE

Protective Gloves: POLYVINYL ALCOHOL OR POLYETHYLENE

Eye Protection: SAFETY GLASSES

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

REUSE.

Supplemental Safety and Health

# **Chemical Properties**

Boiling Pt:B.P. Text:162-190F

Vapor Pres:100 Vapor Density:>AIR Spec Gravity:1.04

Evaporation Rate & Reference:(ETHYL ETHER = 1): 2.6

Solubility in Water: VERY SLIGHT

Appearance and Odor: AMBER PASTE W/HYDROCARBON ODOR

Percent Volatiles by Volume: 2%/WT

## **Stability**

Stability Indicator/Materials to Avoid:YES

# **Disposal**

Waste Disposal Methods: WASH OFF W/DETERGENT. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department



of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.