

## **R 0634 LATEX EMULSION PRIMER**

### **MSDS Number**

BMNTF

### **National Stock Number**

8010-00N023190

### **Product Name**

R 0634 LATEX EMULSION PRIMER

### **Manufacturer**

INDURALL COATINGS INC

### **Product Identification**

Product ID: R 0634 LATEX EMULSION PRIMER

MSDS Date: 11/22/1989

FSC: 8010

NIIN: 00N023190

MSDS Number: BMNTF

### **Responsible Party**

INDURALL COATINGS INC

3333 10TH AVE

BIRMINGHAM , AL 35201

US

Emergency Phone: 800-462-0800

Info Phone: 205-324-9588

Cage: IO138

### **Contractor**

OCEAN COATINGS INC

BIRMINGHAM, AL 35201-0245

US

205-324-9588

Cage: 22126

### **Ingredients**

ETHANOL, 2-BUTOXY-, ACETATE; (BUTYL CELLOSOLVE ACETATE)

CAS: 112-07-2

RTECS: KJ8925000

Fraction By Weight: < 5.0%

PIGMENT (NOT A DUST HAZARD IN WET PAINT)

Fraction By Weight: 25%

1);

CAS: 115-96-8

RTECS: KK2450000

Fraction By Weight: < 5%

11.9 @ 20C

CAS: 7664-41-7

RTECS: BO0875000

Fraction By Weight: < 0.5%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL: MAY CAUSE HEADACHE & NAUSEA.

SKIN: POSSIBLE PRIMARY IRRITATION (MATERIAL IS SLIGHTLY ALKALINE)

EYE: PRIMARY IRRITATION. INGEST: MAY CAUSE IRRITATION TO MOUTH,

ESOPHAGUS, STOMACH, & INTESTINES. ANIMAL STUDIES HAVE CLEARLY

DEMONSTRATEDDOSE-RELATED ADVERSE EFFECTS ON THE CNS, THE

HEMATOPOIETIC (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: TISSUE, THE BLOOD, THE KIDNEYS, AND

THE LIVER ASSOCIATED WITH THE ADMINISTRATION OF ETHYLENE GLYCOL

MONOBUTYL ETHER ACETATE (EGBEA). (EXTRACTED FROM DHHS (NIOSH)

PUBLICATION NO. 90-118) (FP N).

Medical Cond Aggravated by Exposure:SEE YOUR PHYSICIAN FOR DEFINITIVE

MEDICAL OPINION REGARDING YOUR CONDITION.

## First Aid

First Aid:INGEST: DILUTE SWALLOWED MATL BY GIVING LARGE QTYS OF WATER.

INDUCE VOMITING BY GAGGING VICTIM WITH BLUNT OBJECT PLACED AT BACK

OF TONGUE. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONCIOUS PERSON.

CONTACT A PHYSICIAN. SKIN: FLUSH AFFECTED AREAS WITH WATER FOR AT

LEAST 15 MIN. EYE: FLUSH EYES WITH WATER FOR AT LEAST 15 MIN.

INHAL: REMOVE FROM CONTAMINATED AREA.

## Fire Fighting

Flash Point:NONE

Lower Limits:0.9 %

Extinguishing Media:EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NOT APPLICABLE. WEAR NIOSH/MSHA APPROVED SCBA

AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NOT APPLICABLE.

## Accidental Release

Spill Release Procedures:CONTAIN AND REMOVE WITH INERT ABSORBENT AND  
NON-SPARKING TOOLS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120 F.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT FLAME CUT, BRAZE OR  
WELD WITHOUT NIOSH/MSHA APPROVED RESPIRATOR OR APPROPRIATE VENT.

KEEP FROM FREEZING. SPRAY FROM EMULSIONS MUST NOT BE INHALED,

RESPIRATORS SHOULD BE PROVIDED.

## Exposure Controls

Respiratory Protection:OUTDOOR/OPEN AREAS: NIOSH/MSHA APPRVD FILTER

RESP DURING SPRAY APPLIC. RESTRICTED AREAS: NIOSH/MSHA APPRVD

CHEM-MECHANICAL FILTERS DESIGNED TO REMOVE PARTICULATE, GAS & VAPS.

CONFINED AREAS: NIOSH/MSH A APPRVD AIRLINE TYPE RESP OR HOODS.

Ventilation:PROVIDE GENERAL DILUTION/EXHAUST IN VOLUME & PATTERN TO

KEEP TLV & LEL BELOW STATED LIMITS.  
Protective Gloves:IMPERVIOUS GLOVES .  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO  
CONTAMINATED CLOTHING.  
Work Hygienic Practices:WASH WELL WITH SOAP AND WATER BEFORE EATING,  
DRINKING, SMOKING OR USING TOILET.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:SEE INGRED  
Vapor Density:LTR/AIR  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.  
Percent Volatiles by Volume:56.14

## Stability

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:CARBON MONOXIDE, HYDROGEN CHLORIDE,  
PHOSPHORUS OXIDES.

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DO NOT  
INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.