

ITEM#:R64-1002 EP-L CARTRIDGE (HP PN:92275A)

MSDS Number

BMQQB

National Stock Number

6850-01-321-0640

Product Name

ITEM#:R64-1002 EP-L CARTRIDGE (HP PN:92275A)

Manufacturer

CANON U S A INC

Product Identification

Product ID:ITEM#:R64-1002 EP-L CARTRIDGE (HP PN:92275A)

MSDS Date:03/01/1993

FSC:6850

NIIN:01-321-0640

MSDS Number: BMQQB

Responsible Party

CANON U S A INC

ONE CANON PLAZA

LAKE SUCCESS , NY 11040-1113

US

Emergency Phone: 516-488-6700/800-424-9300(CHEMTREC)

Info Phone: 516-488-6700/516-328-5600

Preparer: JOSEPH PALMERI

Cage: 1BA63

Contractor

DELCO SERVICES INC

704

WAYNE, PA 19087

US

251-964-1060

Cage: 0PVF7

Ingredients

STYRENE ACRYLATE COPLOYMER (TONER)

Fraction By Weight: 55-65%

IRON OXIDE (TONER)

CAS: 1317-61-9

Fraction By Weight: 30-40%

OSHA PEL10 MG/M3

ACGIH TLV: 5 MG/M3

MANUFACTURER CONTACT STATES ALL OHTER INFO IS PROPRIETARY.

RTECS: 9999999ZZ

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TONER POWDER IS NOT ACCESSIBLE UNLESS CARTRIDGE IS FORCED OR BROKEN INTO.MINIMAL RESPIRATORY TRACT IRRIT MAY OCCUR AS WITH EXPO TO LARGE AMTS OF ANY DUST.
Explanation of Carcinogenicity:PER MSDS:CONCERNING CARCINOGENICITY IMFREDS LISTED ARE NOT LISTED ON LATEST NTP/IARC/OSHA.
Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHAL:REMOVE FROM EXPO.EYE:NO SPECIFIC HAZA IS KNOWN TO CANON.HOWEVER ANY MATL THAT CONTACTS EYE MAY BE IRRIT.IN CASE OF EYE CONTACT FLUSH W/PLENTY OF WATER.IF IRRIT PERSISTS CONTACT PHYSICIAN.SKIN:WA SH W/SOAP/WATER.

Fire Fighting

Flash Point:NON-FLAMM SOLID
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:THIS MATL LIKE MOST ORGANIC MATL IN POWDER FORM IS CAPABLE OF CREATING A DUST EXPLOSION. (NON-FLAMM SOLID ACCORDING TO 16 CFR 1500.44 TEST METHOD).

Accidental Release

Spill Release Procedures:SWEEP MATL ONTO PAPER OR COLLECT IT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN.KEEP FROM CONTACT W/OXIDIZING MATLS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.
Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.
Protective Gloves:NONE REQUIRED.
Eye Protection:NONE REQUIRED.
Other Protective Equipment:NONE.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:N/AVAI
Melt/Freeze Pt:M.P/F.P Text:212F,100C
Decomp Temp:Decomp Text:NP
Vapor Pres:NEGLIGIBLE
Vapor Density:NA
Spec Gravity:1.4-1.6
pH:N/DETR
Viscosity:NP
Evaporation Rate & Reference:NEG (N-BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE.
Appearance and Odor:PHOTOSENSITIVE DRUM, TONER, DEVELOOPER UNIT,CHARGE ROLLER,CLEANER BLADES.
Percent Volatiles by Volume:NEGLIG
Corrosion Rate:NP

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATL

COMBUSTION WILL PRODUCE CARBON DIOXIDE & PROBABLY CARBON MONOXIDE.

Disposal

Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUE IS REQUIRED.ENSURE

COMPLIANCE WITH FED/STATE &/OR LOC REGS.CARTRIDGE IS COMPOSED OF

PLASTIC & METALS. CERCLA CHEMS:NONE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.