https://msdsreport.com/msds/BMXMK

# CESIUM IN HNO\*3 1000 UG/ML, I55012

**MSDS Number** 

вмхмк

**National Stock Number** 

6810-00N027492

## **Product Name**

CESIUM IN HNO\*3 1000 UG/ML, I55012

Manufacturer

PLASMA CHEM ASSOCIATES INC

## **Product Identification**

Product ID:CESIUM IN HNO\*3 1000 UG/ML, I55012 MSDS Date:07/01/1991 FSC:6810 NIIN:00N027492 MSDS Number: BMXMK

## **Responsible Party**

PLASMA-CHEM ASSOCIATES INC

5142 W HURLEY POND ROAD

FARMINGDALE , NJ 07727

US

Emergency Phone: 908-919-0509

Info Phone: 908-919-0509

Cage: 0L438

## Contractor

PLASMA-CHEM ASSOCIATES INC

FARMINGDALE, NJ 07727

US

908-919-0509

Cage: 0L438

# Ingredients

1) CAS: 7789-18-6 RTECS: FL0700000 Fraction By Weight: 0.1-1%

NITRIC ACID CAS: 7697-37-2 RTECS: QU5775000 OSHA PEL2 PPM;4 PPM STEL ACGIH TLV: 2 PPM;4 PPM STEL EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS



WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 98%

#### Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE/CHRONIC:NOT APPLICABLE. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:BURNS, COUGHING, IRRITATION, NAUSEA, VOMITING, LABORED BREATHING. Medical Cond Aggravated by Exposure:NONE.

•

#### **First Aid**

First Aid:EYE:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN:FLUSH WITH WATER FOR 15 MINUTES. WASH CONTAMINATED CLOTHING BEFORE RE-USE. INHAL:MOVE TO FRESH AIR. INGEST:DO NOT INDUCE VOMITING. GIVE COPIOUS AMOUN TS OF WATER OR MILK.

#### **Fire Fighting**

Extinguishing Media:WATER. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.

#### **Accidental Release**

Spill Release Procedures:TAKE UP WITH INERT, ABSORBENT MATERIAL. CONTAINERIZE FOR DISPOSAL. FLUSH SPILL AREA WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE IN A CORROSION FREE AREA. KEEP CONTAINER SEALED. Other Precautions:NONE.

#### **Exposure Controls**

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR. Ventilation:LOCAL EXHAUST. Protective Gloves:NEOPRENE GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:LAB COAT OR APRON. Work Hygienic Practices:USUAL. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

## **Chemical Properties**

HCC:N1 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1 Evaporation Rate & Reference:1 (BUTYL ACETATE=1) Solubility in Water:SOLUBLE Appearance and Odor:CLEAR, COLORLESS, ODORLESS SOLUTION.

#### Stability

Stability Indicator/Materials to Avoid:YES STRONG BASES OR STRONG REDUCING AGENTS. Stability Condition to Avoid:EXCESSIVE HEAT OR COLD. Hazardous Decomposition Products:NO\*X.

#### Disposal

Waste Disposal Methods:CORROSIVE WASTE. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.



Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.