

V-LUBE B

MSDS Number

BMYCF

National Stock Number

9150-00N028546

Product Name

V-LUBE B

Manufacturer

STOKES VACUUM INC

Product Identification

Product ID:V-LUBE B
MSDS Date:12/01/1988
FSC:9150
NIIN:00N028546
MSDS Number: BMYCF

Responsible Party

STOKES VACUUM INC
5500 TABOR ROAD
PHILADELPHIA , PA 19120
US
Emergency Phone: 215-831-5400;800-424-9300(CHEMTREC)
Info Phone: 215-831-5400
Preparer: RICHARD MAUNZ
Cage: GO130

Contractor

STOKES VACUUM INC
PHILADELPHIA, PA 19120-2124
US
(215) 831-5400
Cage: GO130

Ingredients

MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT REFINED HEAVY
CAS: 64741-88-4
RTECS: PY8040500
Fraction By Weight: 80-100%
OSHA PEL5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

METHACRYLATE COPOLYMER

Fraction By Weight: 0-5%

SILICONE POLYMER (TRACE)

Fraction By Weight: 0-5%

SOLVENT REFINED RESIDUUM

CAS: 64742-01-4

Fraction By Weight: 0-20%

Hazards

LD50 LC50 Mixture:LD50: (ORAL,RAT) >15 G/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT WITH EYE MAY CAUSE TEMPORARY TRANSIENT IRRITATION. NO PERMANENT DAMAGE EXPECTED. CHRONIC: INHALATION OF OIL MIST MAY LEAD TO LIPID (OR CHEMICAL) PNEUMONITIS.

Explanation of Carcinogenicity:CAS NO.64741-88-4 IS LISTED BY THE RTECS AS AN IARC GROUP 1 CARCINOGEN.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST: DO NOT INDUCE VOMTING. GIVE PLENTY OF WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH SOAP & WATER. REMOVE CNTMD CLTHG & LAUNDER. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MD IF IRRIT ATION PERSISTS. INHAL: REMOVE TO FESH AIR.

Fire Fighting

Flash Point Method:COC

Flash Point:465F,241C

Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE EXPECTED.

Accidental Release

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:NFPA CLASS IIIB STORAGE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED FILTER-DUST, FUME, MIST IF MISTING OCCURS.

Ventilation:USE WITH ADEQUATE VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:V6

Vapor Pres:NIL

Vapor Density:17+(AIR=1)

Spec Gravity:0.88

Evaporation Rate & Reference:1000X SLOWER THAN ETHER

Solubility in Water:NIL

Appearance and Odor:LIGHT AMBER FLUID W/LITTLE ODOR.

Percent Volatiles by Volume:NIL

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:OPEN FLAMES.

Hazardous Decomposition Products:CO, AND ASPHYXIANTS.

Disposal

Waste Disposal Methods:FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS. DO NOT FLUSH TO DRAIN.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.