183A120, 7-STAR ACE TONE LATEX FLAT OFF WHI

MSDS Number

BMYKD

National Stock Number

8010-00N028811

Product Name

183A120, 7-STAR ACE TONE LATEX FLAT OFF WHI

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:183A120, 7-STAR ACE TONE LATEX FLAT OFF WHI

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028811

MSDS Number: BMYKD

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON, IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600 Cage: ACEHA

Ingredients

1-PROPANOL, 2-AMINO-2-METHYL;

CAS: 124-68-5

RTECS: UA5950000 Fraction By Weight:

OSHA PEL30 PPM (MFR)

ACGIH TLV: 20 PPM (MFR)

0.1

CAS: 107-21-1

RTECS: KW2975000 Fraction By Weight:

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM, VAPOR, C



EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: IN A CONFINED AREA VAPORS IN HIGH CONCENTRATION ARE ANESTHETIC. IRRITANT TO SKIN & UPPER RESPIRATORY SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHTHEADEDNESS & STAGGERING GAIT.

Explanation of Carcinogenicity: NOT RELEVANT. Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: CHRONIC PROBLEMS W/RESPIRATORY

SYSTEM MAY BE AGGRAVATED BY EXPOSURE TO VAPORS.

First Aid

First Aid:INHAL:IF AFFECTED REMOVE FROM EXPOSURE, RESTORE BREATHING. KEEP WARM & QUIET. SKIN: WASH AFFECTED AREAS THOROUGHLY W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. EYES: FLUSH W/WAT ER FOR AT LEAST 15 MINUTES. GET MEDICALATTENTION. INGEST: CALL MD IMMEDIATELY.

Fire Fighting

Flash Point Method: PMCC Flash Point:199F,93C

Extinguishing Media: "ALCOHOL" FOAM, CO2 & DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . WATER SPRAY MAY NOT BE EFTIVE. WATER MAY BE USED TO COOL CLSD

CONTRS TO PVNT PRESS BUILD-UP & (SUPP DATA)

Unusual Fire/Explosion Hazard: EXTREME HEAT MAY CAUSE CLOSED CONTAINERS TO BURST.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE & REMOVE W/INERT ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: DOL STORAGE CATEGORY - 3B. KEEP CONT CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTRS W/COMPLETE & APPROPRIATE LABELING. USE ONLY W/ADEQ VENT.

Other Precautions: AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT W/ SKIN & EYES. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection: IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR NIOSH/MSHA APPROVED RESPIRATORY DEVICE.

Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE BELOW TLV OF INGREDS, REFER OSHA STDS 1910.94, 1910.107, 1910.108.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH HANDS AFTER USING.

Supplemental Safety and Health

FIRE FIGHT PROC: POSSIBLE AUTO IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Chemical Properties

HCC:V4 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres: SEE INGRED Vapor Density: HVR/AIR Spec Gravity: 1.36 pH:8.5-9



Evaporation Rate & Reference:SLOWER THAN ETHER Appearance and Odor:NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume:63.31

Stability

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:EXTREME HEAT & OPEN FLAME. Hazardous Decomposition Products:BY FIRE: CO2 & CO.

Disposal

Waste Disposal Methods: INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.