
183A121, 7-STAR ACE TONE LATEX FLAT TAWNY B

MSDS Number

BMYKF

National Stock Number

8010-00N028812

Product Name

183A121, 7-STAR ACE TONE LATEX FLAT TAWNY B

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:183A121, 7-STAR ACE TONE LATEX FLAT TAWNY B

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028812

MSDS Number: BMYKF

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON , IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

0.1

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM, C

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

0.8

CAS: 124-68-5

RTECS: UA5950000

Fraction By Weight:

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:(ACUTE) IN A CONFINED AREA VAPORS IN HIGH CONC ARE ANESTHETIC. IRRITANT TO SKIN AND UPPER RESPIRATORY SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHTHEADEDNESS AND STAGGERING GAIT.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:CHRONIC PROBLEMS WITH RESPIRATORY SYSTEM MAY BE AGGRAVATED BY EXPOSURE TO VAPORS.

First Aid

First Aid:INHAL: IF AFFECTED, REMOVE FROM EXPOSURE, RESTORE BREATHING. KEEP WARM AND QUIET. SKIN: IF ON SKIN WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE R EUSE. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:PMCC
Flash Point:199F,93C
Extinguishing Media:ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . WATER SPRAY MAY NOT BE EFT. WATER MAY BE USED TO COOL CLSD CNTNRS TO PVNT PRESS BUILD-UP & POSS(SUPP DATA)
Unusual Fire/Explosion Hazard:EXTREME HEAT MAY CAUSE CLOSED CONTAINERS TO BURST.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DOL STORAGE CATEGORY - 3B.
Other Precautions:KEEP CNTNR CLSD WHEN NOT IN USE. TRANSFER ONLY TO APPRVD CNTNRS W/COMPLETE & APPROP LABELING. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. USE W/ADEQUATE VENT. AVOID BRTHG VAP & SPRAY MIST. AVOID CONT W/SKIN & EYES.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR NIOSH/MSHA APPROVED RESPIRATORY DEVICE.
Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE BELOW TLV. REFER TO OSHA STD 1910.94, 1910.107, 1910.108.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH HANDS AFTER USING.
Supplemental Safety and Health
PH: 8.5-9.0. FIRE FIGHT PROC: AUTOIGNIT OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:212F,100C
Vapor Pres:SEE INGRED
Vapor Density:HVR/AIR
pH:SUPDAT
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:63.31

Stability

Stability Indicator/Materials to Avoid: YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid: EXTREME HEAT AND OPEN FLAME.

Hazardous Decomposition Products: BY FIRE: CO₂ AND CO.

Disposal

Waste Disposal Methods: INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.