

183A124, 7-STAR ACE TONE LATEX FLAT MARSHME

MSDS Number

BMYKG

National Stock Number

8010-00N028813

Product Name

183A124, 7-STAR ACE TONE LATEX FLAT MARSHME

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:183A124, 7-STAR ACE TONE LATEX FLAT MARSHME

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028813

MSDS Number: BMYKG

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON , IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

0.8

CAS: 124-68-5

RTECS: UA5950000

Fraction By Weight:

0.1

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM, C

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:(ACUTE) IN A CONFINED AREA VAPORS IN
HIGH CONC ARE ANESTHETIC. IRRITANT TO SKIN AND UPPER RESPIRATORY
SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHTHEADEDNESS AND STAGGERING
GAIT.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:CHRONIC PROBLEMS WITH RESPIRATORY
SYSTEM MAY BE AGGRAVATED BY EXPOSURE TO VAPORS.

First Aid

First Aid:INHAL: IF AFFECTED, REMOVE FROM EXPOSURE, RESTORE BREATHING.
KEEP WARM AND QUIET. SKIN: IF ON SKIN WASH AFFECTED AREAS
THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND
LAUNDER BEFORE REUSE. EYES: FLUSH WITH WATER FOR AT LEAST 15
MINUTES. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:PMCC
Flash Point:199F,93C
Extinguishing Media:ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP
. WATER SPRAY MAY NOT BE EFF. WATER MAY BE USED TO COOL CLSD CNTNRS
TO PVNT PRESS BUILD-UP & POSS(SUPP DATA)
Unusual Fire/Explosion Hazard:EXTREME HEAT MAY CAUSE CLOSED CONTAINERS
TO BURST.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND
REMOVE WITH INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DOL STORAGE CATEGORY - 3B.
Other Precautions:KEEP CNTNR CLSD WHEN NOT IN USE. TRANSFER ONLY TO
APPRVD CNTNRS W/COMPLETE & APPROP LABELING. DO NOT TAKE INTERNALLY.
KEEP OUT OF REACH OF CHILDREN. USE W/ADEQUATE VENT. AVOID BRTHG VAP
& SPRAY MIST. AVOID CONT W/SKIN & EYES.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW
APPLICABLE LIMITS BY VENTILATION, WEAR NIOSH/MSHA APPROVED
RESPIRATORY DEVICE.
Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE BELOW
TLV. REFER TO OSHA STD 1910.94, 1910.107, 1910.108.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH HANDS AFTER USING.
Supplemental Safety and Health
PH: 8.5-9.0. FIRE FIGHT PROC: AUTOIGNIT OR EXPLOSION WHEN EXPOSED TO
EXTREME HEAT.

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:212F,100C
Vapor Pres:SEE INGRED
Vapor Density:HVR/AIR
pH:SUPDAT
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:63.31

Stability

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:EXTREME HEAT AND OPEN FLAME.

Hazardous Decomposition Products:BY FIRE: CO2 AND CO.

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.