# 3-6532, SHEET FED OIL BASE OFFSET INKS

### **MSDS Number**

**BMYQB** 

### **National Stock Number**

7510-00N029039

### **Product Name**

3-6532, SHEET FED OIL BASE OFFSET INKS

### Manufacturer

A B DICK CO

### **Product Identification**

Product ID:3-6532, SHEET FED OIL BASE OFFSET INKS MSDS Date: 06/02/1989 FSC:7510

NIIN:00N029039 MSDS Number: BMYQB

# **Responsible Party**

A B DICK CO

5700 WEST TOUHY AVE

CHICAGO, IL 60648

US

Emergency Phone: 312-763-1900

Info Phone: 312-763-1900 Preparer: KENNETH W.PINTER

Cage: HO951 Contractor

DICK A B CO

CHICAGO, IL 60648

US

312-647-8800 Cage: HO951

### **Ingredients**

ALIPHATIC HYDROCARBON (HYDROTREATED)

Fraction By Weight: 18-23% OSHA PEL5 MG/M3 (MFR) ACGIH TLV: 5 MG/M3 (MFR)

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; (PETROLEUM

CAS: 64742-46-7 RTECS: JN9379645 Fraction By Weight: 2-6%

OSHA PEL5 MG/M3 (MFR) ACGIH TLV: 5 MG/M3 (MFR)

**Hazards** 



LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic:INGESTION: MAY CAUSE IRRITATION OR GASTRIC DISTURBANCE. EYE: MAY CAUSE IRRITATION. SKIN: PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS AND LOCAL IRRITATION IN SENSITIVE INDIVIDUALS. INHALATION: MAY CAUS E DIZZINESS, NAUSEA, PNEUMONIA, AND COMA.

Explanation of Carcinogenicity: NOT RELEVANT.

Effects of Overexposure: MAY CAUSE SKIN AND EYE IRRITATION, AND

DIZZINESS, NAUSEA.

Medical Cond Aggravated by Exposure: SKIN CONDITIONS.

### First Aid

First Aid:INGESTION: DO NOT INDUCE VOMITING. CONSULT PHYSICIAN. EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, CALL PHYSICIAN. INHALATI ON: REMOVE TO FRESH AIR. APPLY OXYGEN IF NEEDED.

### Fire Fighting

Flash Point Method:TCC Flash Point:>200F,>93C Lower Limits:1.1% Upper Limits:6.0%

Extinguishing Media: WATER FOG, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: DENSE SMOKE MAY BE GENERATED WHILE

BURNING.

### **Accidental Release**

Spill Release Procedures: WIPE UP WITH ABSORBENT MATERIAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

### Handling

Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT, SPARKS & OPEN FLAME. Other Precautions: FOR INDUSTRIAL USE ONLY.

### **Exposure Controls**

Respiratory Protection: NOT NORMALLY REQUIRED. WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation: MECHANICAL EXHAUST ACCEPTABLE.

Protective Gloves: IMPERVIOUS GLOVES

Eve Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: APRONS, BOOTS, IMPERVIOUS CLOTHING AS NEEDED

TO AVOID EXCESSIVE SKIN CONTACT.

Work Hygienic Practices: WASH HANDS AND FACE WITH SOAP AND WATER BEFORE

EATING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

### **Chemical Properties**

HCC:N1

Vapor Density:>1

Spec Gravity:1.100 (H2O=1) Solubility in Water:INSOLUBLE

Appearance and Odor: VARIOUS COLORED PASTE/INK VARNISH ODOR.

### **Stability**

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATERIAL.

Stability Condition to Avoid: EXCESSIVE HEAT.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND SMOKE.

## **Disposal**



Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR OILY WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.