

184A118, 5-STAR INTERIOR LATEX FLAT ANTIQUE

MSDS Number

BNBMP

National Stock Number

8010-00N028895

Product Name

184A118, 5-STAR INTERIOR LATEX FLAT ANTIQUE

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:184A118, 5-STAR INTERIOR LATEX FLAT ANTIQUE

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028895

MSDS Number: BNBMP

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON , IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

0.1

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 3%

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM, VAPOR, C

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

1-PROPANOL, 2-AMINO-2-METHYL-;

CAS: 124-68-5

RTECS: VA5950000

Fraction By Weight:

OSHA PEL20 PPM (MFR)

ACGIH TLV: 10 PPM (MFR)

SILICA, CRYSTALLINE - CRISTOBALITE

CAS: 14464-46-1

RTECS: VV7325000

Fraction By Weight: 5%

OSHA PELSEE TABLE Z3

ACGIH TLV: 0.05 MG/M3 RDUST9293

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IN CONFINED AREA VAPORS IN HIGH CONCENTRATION ARE ANESTHETIC. IRRITANT TO SKIN & UPPER RESPIRATORY SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHTHEADEDNESS & STAGGERING GAIT. SANDING OF DRY FILM CAN G ENERATE DUST CONTAINING CRYSTALLINE SILICA - USE RESPIRATORY PROTECTION.
Explanation of Carcinogenicity:SILICA, CRYSTALLINE (CRISTOBALITE):GROUP 2(NTP), GROUP 2A(IARC).
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:CHRONIC PROBLEMS W/RESPIRATORY SYSTEM MAY BE AGGRAVATED BY EXPOSURE TO VAPORS.

First Aid

First Aid:INHAL:REMOVE FROM EXPOSURE, RESTORE BREATHING. KEEP WARM & QUIET. SKIN:WASH AFFECTED AREAS THOROUGHLY W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE RE-USE. EYES:FLUSH W/WATER FOR AT LE AST 15 MINUTES. GET MD. INGEST:CALL MD IMMEDIATELY .

Fire Fighting

Flash Point Method:PMCC
Flash Point:199F,93C
Extinguishing Media:"ALCOHOL" FOAM, CO*2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . H*2O SPRAY MAY NOT BE EFTIVE. H*2O MAY BE USED TO COOL CLSD CNTNRS TO PVNT PRESS BUILD-UP & POSS (SUPDAT)
Unusual Fire/Explosion Hazard:EXTREME HEAT MAY CAUSE CLOSED CONTAINERS TO BURST.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE & REMOVE W/INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DOL STORAGE CATEGORY-3B. KEEP CNTNR CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPRVD CNTNRS W/COMPLETE & APPROPRIATE LABELING. DO NOT TAKE INTERNALLY.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. USE ONLY W/ADEQUATE VENTILATION. AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT W/SKIN & EYES.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR NIOSH/MSHA APPROVED RESPIRATORY DEVICE.
Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE BELOW TLV. REFER TO OSHA STDS 1910.94, 1910.107. 1910.108.
Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH HANDS AFTER USING.
Supplemental Safety and Health
FIRE FIGHT PROC:AUTO IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME
HEAT.

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:>212F,>100C
Vapor Pres:SEE INGS
Vapor Density:HVR/AIR
Spec Gravity:1.4
pH:8.5-9
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:66.17

Stability

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:EXTREME HEAT & OPEN FLAME.
Hazardous Decomposition Products:BY FIRE:CO & CO*2.

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT
INCINERATE CLOSED CONTAINERS. DISPOSE OF I/A/W FEDERAL, STATE &
LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.