

187A100, 5-STAR INTERIOR LATEX SEMI-GLOSS W

MSDS Number

BNBMY

National Stock Number

8010-00N028928

Product Name

187A100, 5-STAR INTERIOR LATEX SEMI-GLOSS W

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:187A100, 5-STAR INTERIOR LATEX SEMI-GLOSS W

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028928

MSDS Number: BNBMY

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON , IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

290.

CAS: 7664-41-7

RTECS: BO0875000

Fraction By Weight:

OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

1-PROPANOL, 2-AMINO-2-METHYL-;

CAS: 124-68-5

RTECS: UA5950000

Fraction By Weight:

OSHA PEL20 PPM (MFR)

ACGIH TLV: 10 PPM (MFR)

0.1.

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 3%

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM, C, VAPOR

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: IN CONFINED AREA, VAPORS IN HIGH CONCENTRATION ARE ANESTHETIC. IRRITANT TO SKIN AND UPPER RESPIRATORY SYSTEM. OVEREXPOSURE MAY RESULT IN LIGHTHEADEDNESS AND STAGGERING GAIT.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:CHRONIC PROBLEMS W/RESPIRATORY SYSTEM MAY BE AGGRAVATED BY EXPOSURE TO VAPORS.

First Aid

First Aid:INHAL: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM & QUIET. SKIN: WASH AFFECTED AREAS THOROUGHLY W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE RE-USE. EYES: FLUSH W/ WATER FOR A MINIMUM OF 15 MINUTES. GET MEDICAL ATTENTION. INGEST: CALL MD IMMEDIATELY .

Fire Fighting

Flash Point Method:PMCC

Flash Point:199F,93C

Extinguishing Media:"ALCOHOL" FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP

. WATER SPRAY MAY NOT BE EFFTIVE. WATER MAY BE USED TO COOL CLOSED

CONTRS TO PVNT PRESS BUILD-UP (SUPP DATA)

Unusual Fire/Explosion Hazard:EXTREME HEAT MAY CAUSE CLOSED CONTAINERS TO BURST.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DOL STORAGE CATEGORY 3B. USE ONLY W/ADEQUATE VENTILATION. AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT WITH SKIN & EYES.

Other Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTAINERS W/COMPLETE AND APPROPRIATE LABELING. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR RESPIRATORY DEVICE APPROVED BY NIOSH/MSHA.

Ventilation:LOCAL EXHAUST PREFERABLE, GENERAL EXHAUST ACCEPTABLE BELOW

TLV. REFER TO OSHA STANDARDS 1910.94, 1910.107, 1910.108.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH HANDS AFTER USING. LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.
Supplemental Safety and Health
FIRE FIGHT PROC: AND POSSIBLE AUTO IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:>212F,>100C
Vapor Pres:SEE INGRED
Vapor Density:HVR/AIR
Spec Gravity:1.2
pH:8.5-9
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:74.91

Stability

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:EXTREME HEAT AND OPEN FLAME.
Hazardous Decomposition Products:BY FIRE: CO2 AND CO.

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF I/A/W FEDERAL, STATE, AND LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.