

273A113, 7-STAR ACETHANE POLYURETHANE VARNI

MSDS Number

BNBNB

National Stock Number

8010-00N028930

Product Name

273A113, 7-STAR ACETHANE POLYURETHANE VARNI

Manufacturer

ACE HARDWARE CORP PAINT DIV

Product Identification

Product ID:273A113, 7-STAR ACETHANE POLYURETHANE VARNI

MSDS Date:10/01/1986

FSC:8010

NIIN:00N028930

MSDS Number: BNBNB

Responsible Party

ACE HARDWARE CORP/PAINT DIV

21901 SOUTH CENTRAL AVENUE

MATTESON , IL 60443

US

Emergency Phone: 312-720-0600

Info Phone: 312-720-0600

Cage: ACEHA

Contractor

ACE HARDWARE CORPORATION

MATTESON, IL 60443

US

708-720-0600

Cage: ACEHA

Ingredients

2

CAS: 64742-47-8

RTECS: OA5504000

Fraction By Weight: 57%

OSHA PEL500 PPM (MFR)

ACGIH TLV: 100 PPM (MFR)

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHALATION IS ANESTHETIC.

IRRITATION OF RESPIRATORY TRACT OR NERVOUS SYSTEM DEPRESSION.

HEADACHE, DIZZINESS, NAUSEA, CONFUSION, UNCONSCIOUSNESS OR COMA.

SKIN OR EYE CONTACT:PRIMARY IRRITATION. C HRONIC:REPORTS HAVE ASSOC

REPEATED & PROLONGED OCCUP OVEREXP TO SOLVENTS W/PERMANENT BRAIN &

NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHAL:REMOVE FROM EXPOSURE, RESTORE BRTHG, KEEP WARM & QUIET,
NOTIFY MD. EYES:FLUSH IMMED W/RUNNING WATER FOR AT LEAST 15
MINUTES. SKIN:WASH W/SOAP & WATER & APPLY SKIN CREAM. NOTIFY MD IN
ALL CASES. INGEST:CALL MD IMMEDIATELY .

Fire Fighting

Flash Point Method:PMCC
Flash Point:105F,41C
Lower Limits:0.9%
Extinguishing Media:FOAM, "ALCOHOL" FOAM, CO*2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP
. DURING EMER CNDTNS OVEREXP TO DECOMP PRODS MAY CAUSE HLTH HAZ.
SYMPS MAY NOT BE IMMED APPARENT. (SUPDAT)
Unusual Fire/Explosion Hazard:KEEP CNTNRS TIGHTLY CLSD. ISOLATE FROM
HEAT, ELEC EQUIP, SPKS & OPEN FLAME. HEAT MAY CAUSE PRESS BUILD-UP
IN CLSD CNTNRS, H*2O MAY BE USED TO COOL.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE &
REMOVE W/INERT ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DOL STORAGE CATEGORY-2. CONTENTS ARE
COMBUSTIBLE, KEEP AWAY FROM HEAT & OPEN FLAME. USE W/ADEQ VENT.
AVOID BRTHG VAPOR & SPRAY MIST.
Other Precautions:AVOID CONT W/SKIN & EYES. KEEP CNTNR CLOSED WHEN NOT
IN USE. DO NOT TRANSFER CONTENTS TO OTHER CONTAINERS FOR STORAGE.
DO NOT TAKE INTERNALLY, KEEP OUT OF REACH OF CHILDREN. CONSULT NFPA
CODE. USE APP ROVED BONDING & GROUNDING PROCEDURES.

Exposure Controls

Respiratory Protection:IF ENGINEERING & ADMINISTRATIVE CONTROLS OF AIR
CONTAMINANTS ARE NOT POSSIBLE, USE NIOSH/MSHA APPROVED RESPIRATORY
DEVICES FOR PROTECTION AGAINST SPRAY MIST & VAPORS.
Ventilation:LOCAL EXHAUST PREFERABLE. MECHANICAL (GENERAL) EXHAUST
ACCEPTABLE. SPECIAL VENT REQD TO KEEP BELOW TLV & LEL.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:REMOVE & WASH CONTAMINATED CLOTHING, DISCARD
CONTAMINATED SHOES. WASH HANDS AFTER USING.
Supplemental Safety and Health
MFR'S TRADE NAME/PART NO:CLEAR GLOSS. FIRE FIGHT PROC:GET MD. H*2O
SPRAY MAY BE INEFT. H*2O MAY BE USED TO COOL CLSD CNTNRS TO PVNT
PRESS BUILD-UP & POSS AUTO IGNIT/EXPLO WHEN EXPOSED TO EXTREME
HEAT.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:>308F,>153C
Vapor Pres:SEE ING
Vapor Density:HVR/AIR
Spec Gravity:0.886
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:65.15

Stability

Stability Indicator/Materials to Avoid:YES
NONE REASONABLY FORSEEABLE.
Stability Condition to Avoid:HIGH TEMPERATURES, OPEN FLAME.

Hazardous Decomposition Products:BY FIRE:CO*2, CO.

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINER. DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.