

922B, WHITE SEMI GLOSS LATEX ENAMEL

MSDS Number

BNBPS

National Stock Number

8010-00N029122

Product Name

922B, WHITE SEMI GLOSS LATEX ENAMEL

Manufacturer

FARWEST PAINT MFG CO

Product Identification

Product ID:922B, WHITE SEMI GLOSS LATEX ENAMEL

MSDS Date:02/09/1989

FSC:8010

NIIN:00N029122

MSDS Number: BNBPS

Responsible Party

FARWEST PAINT MFG CO

4522 S 133 ST

TUKWILA , WA 98168

US

Emergency Phone: 206-941-1619

Info Phone: 206-244-8844

Cage: 6F266

Contractor

FARWEST PAINT MANUFACTURING CO

TUKWILA, WA 98168

US

206-244-8844

Cage: 6F266

Ingredients

MERCURY, (ACETO) PHENYL-; (PHENYLMERCURIC ACETATE

CAS: 62-38-4

RTECS: OV6475000

Fraction By Weight:

ACGIH TLV: 600 PPM (MFR)

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

SURFACTANTS

Fraction By Weight:

PIGMENTS

Fraction By Weight: 20-25%

VEHICLE, RESIN

Fraction By Weight: 20-25%

SOLVENTS CONSISTING OF INGRED 4-6

RTECS: 9999999ZZ

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 40-45%

0.1@68F

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

OSHA PEL50 PPM, C

ACGIH TLV: 50 PPM,VAPOR, C

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

0.1@68F

CAS: 111-46-6

RTECS: ID5950000

Fraction By Weight:

ADDITIVES

Fraction By Weight:

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE EXPECTED.MERCURY COMPOUNDS (PHENYLMERCURIC ACETATE)APPEARS ON THE NAVY LISTING OF OCCUP REPRO HAZ. SEEK CONSULTATION FROM APPROP HEALTH PROFESSIONALS CONCERNING LATEST HAZ LIST INFO AND SAFE HAND LING AND EXPOS RECOMMENDATIONS..

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:NONE EXPECTED.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:SKIN: WASH THOROUGHLY WITH SOAP AND WATER. EYES: WASH THOROUGHLY WITH WATER FOR AT LEAST 15 MIN. INGEST: CONSULT PHYS. INHAL: REMOVE TO FRESH AIR. SUPPORT BRTHG. (GIVE O2/ARTF RESP) .

Fire Fighting

Extinguishing Media:FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:WILL NOT BURN.

Accidental Release

Spill Release Procedures:DAM UP AREA WITH ABSORBENT MATERIAL SUCH AS SAWDUST OR DIATAMACEIOUS EARTH.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:AVOID TEMP BELOW 40F. KEEP FROM FREEZING. STORE CONTR WITH LIDS TIGHTLY CLOSED. KEEP AWAY FROM MATERIALS WHICH MAY REACT WITH WATER.

Other Precautions:INFO IN DATA SHEET IS BELIEVED TO BE ACCURATE & TRUE @ TIME OF PREPARATION. THIS IS NOT A WARRANTY OF PROD/PROD SPECIFICATION. END-USER OF THIS PROD IS ADVISED TO VERIFY IN ADVANCE THAT INFO IN THIS S HEET IS CURRENT, APPLIC & (SUPP DATA)

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:MECHANICAL OR LOCAL EXHAUST.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:KEEP WORK AREA CLEAN & FREE FROM SPILLS & LEAKS. ALWAYS WASH HANDS THORO W/SOAP/H2O BEFORE HNDLG FOOD AND DRINK.

Supplemental Safety and Health

OTHER PREC: SUITABLE TO THEIR CIRCUMSTANCES.

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:SEE INGRED

Spec Gravity:1.2567

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:INFINITE

Appearance and Odor:WHITE THIOXTROPIC LIQUID WITH SLIGHT TO NO ODOR.

Percent Volatiles by Volume:

Stability

Stability Indicator/Materials to Avoid:YES

MATERIALS WHICH MAY REACT WITH WATER.

Stability Condition to Avoid:TEMPERATURES BELOW 40F KEEP FROM FREEZING.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Disposal

Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.