

BATTERY, DRY

MSDS Number

BNBQT

National Stock Number

6140-00-191-8506

Product Name

BATTERY, DRY

Manufacturer

U S BATTERY MFG CO

Product Identification

Product ID: BATTERY, DRY

MSDS Date: 01/06/1992

FSC: 6140

NIIN: 00-191-8506

MSDS Number: BNBQT

Responsible Party

U.S. BATTERY MFG. CO.

1675 SAMPSON AVENUE

CORONA, CA 91719

US

Emergency Phone: 714-371-8090 OR 800-595-0945

Info Phone: 714-371-8090

Cage: KO562

Contractor

US BATTERY MFG CO

SIGNAL HILL, CA 90800

US

213-424-0000

Cage: USBAT

Ingredients

LEAD (SARA III)

CAS: 7439-92-1

RTECS: OF7525000

Fraction By Weight: 38%

OSHA PEL 0.05 MG/M3; 1910.1025

ACGIH TLV: 0.15 MG/M3; DUST 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

LEAD OXIDE, (RED LEAD OXIDE)

CAS: 1314-41-6

RTECS: OG5425000

Fraction By Weight: 60%

OSHA PELSEE 1910.1025

ACGIH TLV: 0.15 MG/M3

Hazards

LD50 LC50 Mixture:ORAL RAT LD50 IS NOT KNOWN
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:THIS PRODUCT IS NONTOXIC. FURTHER INFORMATION CAN BEE OBTAINED FROM THE ATTACHED MSDS FOR BATTERY PARTS. (HMIS NOTE: THE MSDS FOR BATTERY PARTS WAS NOT ATTACHED!)
Explanation of Carcinogenicity:LEAD COMPOUNDS ARE LISTED AS CARCINOGENIC IN ANIMALS AND POSSILBY IN HUMANS.
Effects of Overexposure:NO INFORMATION GIVEN ON MSDS BY SUPPLIER
Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

First Aid

First Aid:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Fire Fighting

Flash Point:NON-FLAMMABLE
Extinguishing Media:CARBON DIOXIDE, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:MFR LEFT THIS FIELD BLANK.

Accidental Release

Spill Release Procedures:THE PRODUCT IS A DRY BATTERY AND IS CONSIDERED NON SPILLABLE. IT IS TO BE PACKAGED PER 49CFR178.205 SPEC 122B. IN CASE OF ACCIDENT AND THE CONTAINER IS BROKEN, PROTECTIVE GLOVES WILL BE REQUIRED TP HA NDLE BATTERY PARTS.
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Handling

Handling and Storage Precautions:NONE REQUIRED.
Other Precautions:NONE REQUIRED.

Exposure Controls

Respiratory Protection:NONE REQUIRED.
Ventilation:NONE REQUIRED.
Protective Gloves:PROTECTIVE
Eye Protection:NONE REQUIRED.
Other Protective Equipment:NONE REQUIRED.
Work Hygienic Practices:NONE REQUIRED.
Supplemental Safety and Health
MFR STATES THAT BATTERY IS CLASSED AS A DRY BATTERY AND IS NON-SPILLABLE.

Chemical Properties

HCC:N1
pH:UNKNON
Appearance and Odor:BATTERY CASE, 7.125X9.125X9.125 INCHES - MFR SAID NOT APPLICABLE THESE FIELDS.
Percent Volatiles by Volume:UNKNON

Stability

Stability Indicator/Materials to Avoid:YES
SUPPLIER DID NOT INCLUDE THIS FIELD OR LEFT IT BLANK.
Stability Condition to Avoid:MFR SAID "VERY STABLE" FOR THIS SECTION.
Hazardous Decomposition Products:SUPPLIER DID NOT INCLUDE THIS FIELD OR LEFT IT BLANK.

Disposal

Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER MAKES NO SUGGESTIONS AS TO METHOD OF

DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.