

3-4354, PANTONE RUBBER BASE INKS

MSDS Number

BNDHT

National Stock Number

7510-00N029562

Product Name

3-4354, PANTONE RUBBER BASE INKS

Manufacturer

A B DICK CO

Product Identification

Product ID:3-4354, PANTONE RUBBER BASE INKS

MSDS Date:07/23/1986

FSC:7510

NIIN:00N029562

MSDS Number: BNDHT

Responsible Party

A B DICK CO

5700 WEST TOUHY AVE

CHICAGO , IL 60648

US

Emergency Phone: 312-647-8800

Info Phone: 312-647-8800

Preparer: KENNETH W. PINTER

Cage: HO951

Contractor

DICK A B CO

CHICAGO, IL 60648

US

312-647-8800

Cage: HO951

Ingredients

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; (PETROLEUM

CAS: 64742-46-7

RTECS: JN9379645

Fraction By Weight: 7-12%

OSHA PEL5MG/M3(OILMIST)(MFR)

ACGIH TLV: 5MG/M3(OILMIST)(MFR)

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGEST: MAY CAUSE IRRITATION OR GASTRIC DISTURBANCE. EYE: MAY BE SLIGHTLY IRRITATING UPON DIRECT CONTACT. SKIN: MAY CAUSE IRRITATION AND DERMATITIS. DERMATITIS IS CHARACTERIZED BY DRYNESS, CHAPPING & REDDENING. INHAL: OIL MISTS MAY CAUSE IRRIT OF THROAT & LUNGS.

Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:EFFECTS OF OVEREXPOSURE: PROLONGED OR REPEATED SKIN CONTACT MAY LEAD TO IRRITATION AND DERMATITIS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST: DO NOT INDUCE VOMITING. CALL MD. EYES: RINSE THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, CALL MD. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, CALL MD. IN HAL: REMOVE TO FRESH AIR. APPLY OXYGEN IF NEEDED. CALL MD.

Fire Fighting

Extinguishing Media:WATER FOG, FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . WATER MAY BE INEFFECTIVE, BUT CAN BE USED TO COOL CONTAINERS EXPSD TO HEAT OR FLAME.
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHILE BURNING.

Accidental Release

Spill Release Procedures:WIPE UP AND DISPOSE WITH SOLID WASTE. IF SOLVENT WETTED WIPES WERE USED, DISPOSE OF IN APPROVED CONTAINERS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
Other Precautions:FOR INDUSTRIAL USE ONLY.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:MECHANICAL (GENERAL): ACCEPTABLE.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:GLOVES, APRON, BOOTS, IMPERVIOUS CLOTHING AS NEEDED TO AVOID EXCESSIVE SKIN CONTACT.
Work Hygienic Practices:WASH HANDS AND FACE WITH SOAP AND WATER BEFORE EATING OR SMOKING.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:N1
Vapor Density:>1
Spec Gravity:1.02-1.11
Solubility in Water:INSOLUBLE
Appearance and Odor:PASTE, VARIOUS COLORS - INK VARNISH ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIAL.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO, CO2 AND SMOKE.

Disposal

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR NON-FLAMMABLE OILY WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.