

## **DG15 12/15OZ ENGINE DEGREASER**

### **MSDS Number**

BNGLQ

### **National Stock Number**

6850-00F022907

### **Product Name**

DG15 12/15OZ ENGINE DEGREASER

### **Manufacturer**

GOLD EAGLE CO

### **Product Identification**

Product ID:DG15 12/15OZ ENGINE DEGREASER

MSDS Date:08/30/1990

FSC:6850

NIIN:00F022907

MSDS Number: BNGLQ

### **Responsible Party**

GOLD EAGLE CO

4400 S KILDARE BLVD

CHICAGO , IL 60690

US

Emergency Phone: 800 535-5053 OR 312 376-4400

Info Phone: 800 535-5053 OR 312 376-4400

Preparer: M.P.

Cage: 2M612

### **Contractor**

GOLD EAGLE COMPANY

97267

CHICAGO, IL 60632-4372

US

773-376-4400

Cage: 2M612

### **Ingredients**

MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPTHANES

CAS: 64742-88-7

Fraction By Weight: 42%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

KEROSENE, KEROSINE

CAS: 8008-20-6

RTECS: OA5500000

Fraction By Weight: 42%

OSHA PEL400 PPM

ACGIH TLV: 400 PPM

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 10%

OSHA PEL1000 PPM

ACGIH TLV: SIMPLE ASPHYXIAN

## Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: INHALATION: RESPIRATORY IRRITATION, HEADACHE, FATIGUE, DROWSINESS, IMPAIRED COORDINATION. SKIN/EYES: IRRITATION. INGESTION: NAUSEA, VOMITING.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: RESPIRATORY IRRITATION, HEADACHE, FATIGUE, DROWSINESS. SKIN/EYES: IRRITATION. INGESTION: NAUSEA, VOMITING.

## First Aid

First Aid: INHALATION: REMOVE VICTIM TO FRESH AIR. RESTORE/SUPPORT BREATHING AS REQUIRED. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/RUNNING WATER FOR 15 MINS. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Extinguishing Media: CO<sub>2</sub>, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS IN PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: VAPOR ACCUMULATION CAN FLASH OR EXPLODE. DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. EXTREMELY FLAMMABLE VAPORS.

## Accidental Release

Spill Release Procedures: REMOVE SOURCES OF IGNITION OR HEAT. PROVIDE ADEQUATE VENTILATION. CONTAIN LEAK. ABSORB W/SUITABLE MATERIAL SUCH AS OIL DRY, SAND OR OTHER ABSORBENT, INERT, NON-COMBUSTIBLE MATERIAL. TRANSFER TO SECURE CONTAINERS.

## Handling

Handling and Storage Precautions: STORE IN A COOL AREA AT EXTREMELY FLAMMABLE VAPORS.

## Exposure Controls

Respiratory Protection: USE AN APPROVED RESPIRATOR OR HOOD OR SELF-CONTAINED BREATHING APPARATUS IN AREAS EXCEEDING PEL/TLV.

Ventilation: PROVIDE PROPERLY ENGINEERED VENTILATION TO KEEP Protective Gloves: SOLVENT RESISTANT

Eye Protection: SAFETY GLASSES W/SPLASH GUARDS

Other Protective Equipment: USE SOLVENT RESISTANT APRONS/CLOTHING

Supplemental Safety and Health

## Chemical Properties

Solubility in Water: NEGLIGIBLE

Appearance and Odor: AEROSOL

## Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HOT SURFACES, TEMPERATURES >120F, SOURCES OF HEAT OR IGNITION.

Hazardous Decomposition Products: CO

---

## Disposal

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.