

CALCIUM IN HNO*3 1000 UG/ML, I20012

MSDS Number

BNLXG

National Stock Number

6810-00N027428

Product Name

CALCIUM IN HNO*3 1000 UG/ML, I20012

Manufacturer

PLASMA CHEM ASSOCIATES INC

Product Identification

Product ID:CALCIUM IN HNO*3 1000 UG/ML, I20012

MSDS Date:07/01/1991

FSC:6810

NIIN:00N027428

MSDS Number: BNLXG

Responsible Party

PLASMA-CHEM ASSOCIATES INC

5142 W HURLEY POND ROAD

FARMINGDALE , NJ 07727

US

Emergency Phone: 908-919-0509

Info Phone: 908-919-0509

Cage: 0L438

Contractor

PLASMA-CHEM ASSOCIATES INC

FARMINGDALE, NJ 07727

US

908-919-0509

Cage: 0L438

Ingredients

CALCIUM CARBONATE

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 0.1-1%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST

NITRIC ACID (SARA III)

CAS: 7697-37-2

RTECS: QU5775000

Fraction By Weight: 2%

OSHA PEL2 PPM; 4 STEL

ACGIH TLV: 2 PPM; 4 STEL

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 98%

OSHA PELNOT APPLICABLE.

ACGIH TLV: NOT APPLICABLE.

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NOT APPLICABLE. CHRONIC: NOT APPLICABLE.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:BURNS, COUGHING, IRRITATION, NAUSEA, VOMITING & LABORED BREATHING.

Medical Cond Aggravated by Exposure:NONE.

First Aid

First Aid:EYE:FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN:FLUSH W/WATER FOR 15 MINS. WASH CONTAMINATED CLOTHING BEFORE RE-USE. INHAL:REMOVE TO FRESH AIR. INGEST:DO NOT INDUCE VOMITING. GIVE COPIOUS AMOUNTS OF WATE R OR MILK.

Fire Fighting

Flash Point:NOT APPLICABLE.

Extinguishing Media:WATER.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

Accidental Release

Spill Release Procedures:TAKE UP W/INERT, ABSORBENT MATERIAL. CONTAINERIZE FOR DISPOSAL. FLUSH SPILL AREA W/WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A CORROSION FREE AREA. KEEP CONTAINER SEALED.

Other Precautions:NONE.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST RECOMMENDED.

Protective Gloves:NEOPRENE GLOVES.

Eye Protection:CHEM WORK GOGGS & FULL LGTH FSHLD

Other Protective Equipment:LAB COAT OR APRON. EMERGENCY EYE WASH & DELUGE SHOWER .

Work Hygienic Practices:USUAL.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1 (H*20=1)

Evaporation Rate & Reference:1 (WATER =1)

Solubility in Water:SOLUBLE

Appearance and Odor: CLEAR, COLORLESS, ODORLESS SOLUTION.

Stability

Stability Indicator/Materials to Avoid: YES

STRONG BASES OR STRONG REDUCING AGENTS.

Stability Condition to Avoid: EXCESSIVE HEAT OR COLD.

Hazardous Decomposition Products: NO*X.

Disposal

Waste Disposal Methods: CORROSIVE WASTE. DISPOSE IN ACCORDANCE W/ALL
FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.