

CHROMIUM IN HNO*3 10,000 UG/ML, I24812

MSDS Number

BNLXK

National Stock Number

6810-00N027431

Product Name

CHROMIUM IN HNO*3 10,000 UG/ML, I24812

Manufacturer

PLASMA CHEM ASSOCIATES INC

Product Identification

Product ID:CHROMIUM IN HNO*3 10,000 UG/ML, I24812 MSDS Date:07/01/1991 FSC:6810 NIIN:00N027431 MSDS Number: BNLXK

Responsible Party

PLASMA-CHEM ASSOCIATES INC

5142 W HURLEY POND ROAD

FARMINGDALE , NJ 07727

US

Emergency Phone: 908-919-0509

Info Phone: 908-919-0509

Cage: 0L438

Contractor

PLASMA-CHEM ASSOCIATES INC

FARMINGDALE, NJ 07727

US

908-919-0509

Cage: 0L438

Ingredients

DICHROMIC ACID, DIAMMONIUM SALT; (AMMONIUM DICHROMATE) CAS: 7789-09-5 RTECS: HX7650000 Fraction By Weight: 0.1-1% OSHA PEL0.1PPM CRO3;CEILING ACGIH TLV: 0.05 MG CR/M3 EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

NITRIC ACID (SARA III) CAS: 7697-37-2 RTECS: QU5775000 Fraction By Weight: 2%



https://msdsreport.com/msds/BNLXK

•

OSHA PEL2 PPM; 4 STEL

ACGIH TLV: 2 PPM; 4 STEL EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 98%

OSHA PELNOT APPLICABLE.

ACGIH TLV: NOT APPLICABLE.

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:ACUTE: NOT APPLICABLE. CHRONIC: NOT APPLICABLE. Explanation of Carcinogenicity:CHROMIUM AND CERTAIN CHROMIUM COMPOUNDS:

Explanation of Carcinogenicity:CHROMIUM AND CERTAIN CHROMIUM COMPOUNDS: GROUP 1 (IARC)

Effects of Overexposure:BURNS, COUGHING, IRRITATION, NAUSEA, VOMITING & LABORED BREATHING.

Medical Cond Aggravated by Exposure:NONE.

First Aid

First Aid:EYE:FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN:FLUSH W/WATER FOR 15 MINS. WASH CONTAMINATED CLOTHING BEFORE REUSE. INHAL:REMOVE TO FRESH AIR. INGEST:DO NOT INDUCE VOMITING. GIVE COPIOUS AMOUNTS OF WATER OR MILK.

Fire Fighting

Flash Point:NOT APPLICABLE. Extinguishing Media:WATER Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.

Accidental Release

Spill Release Procedures:TAKE UP W/INERT, ABSORBENT MATERIAL. CONTAINERIZE FOR DISPOSAL. FLUSH SPILL AREA W/WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A CORROSION FREE AREA. KEEP CONTAINER SEALED. Other Precautions:NONE.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR. Ventilation:LOCAL EXHAUST RECOMMENDED. Protective Gloves:NEOPRENE GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:LAB COAT OR APRON. EMERGENCY EYE WASH & DELUGE SHOWER . Work Hygienic Practices:USUAL. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:N1



Boiling Pt:B.P. Text:212F,100C Spec Gravity:1 (H*2O=1) Evaporation Rate & Reference:1 (WATER=1) Solubility in Water:SOLUBLE Appearance and Odor:CLEAR, PALE-YELLOW TO ORANGE SOLUTION W/NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES STRONG BASES OR STRONG REDUCING AGENTS. Stability Condition to Avoid:EXCESSIVE HEAT OR COLD. Hazardous Decomposition Products:NO*X.

Disposal

Waste Disposal Methods:CORROSIVE WASTE. DISPOSE IN ACCORDANCE W/ALL FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.