

A-1177-B-2 PART B

MSDS Number

BNPVX

National Stock Number

8040-01-102-2098

Product Name

A-1177-B-2 PART B

Manufacturer

BF GOODRICH ADHESIVE SYSTEMS

Product Identification

Product ID:A-1177-B-2 PART B

MSDS Date:05/02/1989

FSC:8040

NIIN:01-102-2098

Kit Part:Y

MSDS Number: BNPVX

Responsible Party

BF GOODRICH ADHESIVE SYSTEMS

123 W BARTGES ST; DEPARTMENT 1932/1904

AKRON , OH 44311

US

Emergency Phone: 216-374-2824

Info Phone: 216-374-5143

Cage: BFGAD

Contractor

SIA ADHESIVES INC

AKRON, OH 44311-1081

US

330-374-2786 / 330-374-2900

Cage: 1HS43

Ingredients

POLYAMIDE

Fraction By Weight: 50%

CALCIUM CARBONATE

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 50%

OSHA PEL5 MG/M3

ACGIH TLV: 10 MG/M3

Hazards

Health Hazards Acute and Chronic:OVEREXPOSURE: SKIN: PROLONGED OR REPEATED MAY CAUSE MODERATE IRRITATION; MAY CAUSE ALLERGIC REACTION AND SENSITIZATION IN SOME INDIVIDUALS. EYE: MODERATE TO SEVERE

IRRITATION.

Medical Cond Aggravated by Exposure:SKIN RASHES

First Aid

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH AREA WITH PLENTY OF SOAP AND WATER; SEE A PHYSICIAN IF IRRITATION DEVELOPS. EYE: FLUSH WITH WATER FOR 15 MIN. SEE A PHYSICIAN IF IRRITATION DEVELOPS. INGESTION : INDUCE VOMITING AND CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF NECESSARY.

Fire Fighting

Flash Point Method:TOC

Flash Point:365F,185C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:DO NOT ENTER CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE KNOWN.

Accidental Release

Spill Release Procedures:AVOID SKIN AND EYE CONTACT, SCRAPE UP AND PLACE IN CONTAINER.

Handling

Handling and Storage Precautions:AVOID PROLONGED SKIN AND EYE CONTACT, FOR INDUSTRIAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. STORE IN COOL DRY PLACE, AWAY FROM SOURCES OF HEAT.

Other Precautions:IN ADDITION TO ANY LISTED PRECAUTIONS, YOU SHOULD CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO INSURE THAT SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

Exposure Controls

Respiratory Protection:NOT NORMALLY NEEDED.

Ventilation:LOCAL EXHAUST MAY BE NEEDED IF MATERIAL IS HEATED.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:NONE NORMALLY NEEDED.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:0F,-18C

Vapor Density:> AIR

Spec Gravity:1.422

Appearance and Odor:TAN PASTE, AMINE ODOR.

Percent Volatiles by Volume:0.0

Stability

Stability Indicator/Materials to Avoid:YES

EPOXY RESINS.

Stability Condition to Avoid:AVOID MIXING WITH LARGE AMOUNTS OF EPOXY, NO MORE THAN TWO POUNDS.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, AMMONIA, OTHERS POSSIBLE.

Disposal

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS AS DEFINED BY GOVERNMENT REGULATIONS AND, THEREFORE MAY BE SUBJECT TO STORAGE, TRANSPORTATION AND DISPOSAL REQUIREMENTS. DISCARD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.