

PR-1440, PART B

MSDS Number

BNRRR

National Stock Number

8030-00-965-2004

Product Name

PR-1440, PART B

Manufacturer

COURTAULDS AEROSPACE INC

Product Identification

Product ID:PR-1440, PART B MSDS Date:10/27/1988 FSC:8030 NIIN:00-965-2004

Kit Part:Y

MSDS Number: BNRRR

Responsible Party

COURTAULDS AEROSPACE INC

757 CALIFORNIA ST

GLENDALE, CA 91203

US

Emergency Phone: 818-549-7973

Info Phone: 818-549-7973

Preparer: A S Cage: 83574

Contractor

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

1800

GLENDALE, CA 91209

US

818-240-2060 Cage: 83574

Ingredients

2-BUTANONE (METHYL ETHYL KETONE) (SARA III)

CAS: 78-93-3

RTECS: EL6475000 Fraction By Weight: 5%

OSHA PEL200 PPM/300 PPM STEL ACGIH TLV: 200 PPM/300 PPM STEL EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS



CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 5 - 10% OSHA PEL200 PPM/150 STEL ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

PHENOL POLYMER WITH FORMALDEHYDE (PHENOLIC RESIN)

CAS: 9003-35-4 Fraction By Weight: 140.97 G/L (MIXED) RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE: IRRITATION. SKIN: LOCAL IRRITATION. ALLERGIC SKIN RASH (SENSITIZED INDIVIDUAL). INHALATION: NOSE, THROAT IRRITATION. PROLONGED EXPOSURE OVER TLV: HEADACHE, FATIGUE, CONFUSION, DIZZINESS, DROWSINE SS, NUMBNESS, UNCONSCIOUSNESS. PROLONGED EXPOSURE: LIVER, KIDNEY DAMAGE. INGEST: NAUSEA, VOMITING, LIVER, KIDNEY DAMAGE.

First Aid

First Aid: EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMP TOMS ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

Fire Fighting

Flash Point Method: PMCC Flash Point:62.0F,16.7C Lower Limits: 1.8

Upper Limits: 10.0 (MEK)

Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL

HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: HIGH TEMPERATURES MAY CAUSE PRESSURE

BUILDUP IN CLOSED CONTAINERS.

Accidental Release

Spill Release Procedures: REMOVE ALL IGNITION SOURCES. WEAR AIR SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBENT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1 -TRICHLOROETHANE.

Handling

Other Precautions: THIS PRODUCT CONTAINS A TOXIC CHEMCIAL OR CHEMICALS SUBJECT TO THE REPORTING REQURIEMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR 372.

Exposure Controls

Respiratory Protection: WHEN APPLYING IN CONFINED AREAS, OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN EXCESS OF TLV, USE AN ORGANIC VAPOR CARTRIDGE RESPIRATOR OR AIR-SUPPLIED RESPIRATOR.

Ventilation: GENERAL VENTILATION TO MAINTAIN VAPORS BELOW TLV.



Protective Gloves: SOLVENT RESISTANT GLOVES.

Eye Protection: CHEMICAL GOGGLES OR FULL-FACE SHIELD.

Supplemental Safety and Health

KEY1:F3.

Chemical Properties

HCC:F2

Spec Gravity:1.41

Solubility in Water:SLIGHT

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:OXIDES OF CARBON, SO2, TRACES OF H2S.

Disposal

Waste Disposal Methods: EPA WASTE NO. D-001. DISPOSE FO SPILLAGE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.