

1921, DEX-O-TEX SURFACESEAL

MSDS Number

BNSFF

National Stock Number

8030-00N031419

Product Name

1921, DEX-O-TEX SURFACESEAL

Manufacturer

CROSSFIELD PRODUCTS CORP

Product Identification

Product ID:1921, DEX-O-TEX SURFACESEAL

MSDS Date:03/18/1986

FSC:8030

NIIN:00N031419

MSDS Number: BNSFF

Responsible Party

CROSSFIELD PRODUCTS CORP

140 VALLEY ROAD

ROSELLE PARK , NJ 07204

US

Emergency Phone: 908-245-2800

Info Phone: 908-245-2800

Cage: 88167

Contractor

CROSSFIELD PRODUCTS CORP

ROSELLE PARK, NJ 07204-1402

US

908-245-2800

Cage: 88167

Ingredients

AROMATIC NAPHTHA

ACGIH TLV: 200 PPM (MFR)

MINERAL SPIRITS

CAS: 64475-85-0

RTECS: PY8240000

ACGIH TLV: 500 PPM (MFR)

RUBBER; (NEOPRENE RUBBER)

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:SKIN AND EYE IRRITATION.

NARCOSIS AND/ OR POSSIBLE HEADACHE. CHRONIC:NONE KNOWN. TLV:360 PPM
ON TOTAL MATERIAL.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid

First Aid:INHAL:MOVE SUBJECT TO FRESH AIR. ADMINISTER OXYGEN IF
NECESSARY. EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.
SEEK MEDICAL HELP. SKIN:WASH WITH SOAP AND WATER. INGEST:DO NOT
INDUCE VOMITIN G. CALL PHYSICIAN.

Fire Fighting

Flash Point:105F,41C

Lower Limits:1.1%

Upper Limits:6.0%

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT TO AVOID INHALATION OF SMOKE OR VAPORS.

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:ABSORB WITH SAND OR VERMICULITE. SHOVEL
MATERIAL INTO CONTAINERS AND COVER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP AWAY FROM OPEN FLAME.

Other Precautions:USE EYE AND SKIN PROTECTION WHEN USING THIS MATERIAL.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR IF
VENTILATION IS POOR.

Ventilation:LOCAL EXHAUST.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:AS NEEDED TO PROTECT SKIN.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:313F,156C

Vapor Pres: .3

Spec Gravity:.911 (H2O = 1)

Evaporation Rate & Reference:.16

Appearance and Odor:SLIGHTLY OPAQUE-AMBER WITH PUNGENT SOLVENT ODOR.

Percent Volatiles by Volume:80

Stability

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:AVOID CONTACT WITH OXIDIZERS, OPEN FLAMES
AND SPARKS.

Hazardous Decomposition Products:NOX, MNOX, ZNX. ALSO HYDROGEN SULFIDE.

Disposal

Waste Disposal Methods:DISPOSE OF IN SANITARY LANDFILL IN ACCORDANCE
WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.