

TT-E-508C ALKYD SEMI GLOSS ENAMEL

MSDS Number

BPJDP

National Stock Number

8010-00-616-0015

Product Name

TT-E-508C ALKYD SEMI GLOSS ENAMEL

Manufacturer

S L GILLMAN PAINT CO

Product Identification

Product ID:TT-E-508C ALKYD SEMI GLOSS ENAMEL

MSDS Date:11/01/1988

FSC:8010

NIIN:00-616-0015

MSDS Number: BPJDP

Responsible Party

S.L. GILLMAN PAINT CO

2250 MORELAND AVE SE

ATLANTA , GA 30315

US

Emergency Phone: 404-589-4400

Info Phone: 404-622-1326

Cage: OO269

Contractor

S.L. GILLMAN PAINT COMPANY

ATLANTA, GA 30315

US

404 622 1326

Cage: OO269

Ingredients

VM&P NAPHTHA (LIGROINE)

CAS: 8032-32-4

RTECS: OI6180000

Fraction By Weight: 35-40%

OSHA PEL300 PPM/400 STEL

ACGIH TLV: 300 PPM; 9293

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:IRRITATION.

INHALATION:IRRITATION TO THE RESPIRATORY TRACT, DIZZINESS, HEADACHE, UNCONSCIOUSNESS. INGESTION:INTESTINAL IRRITATION, NAUSEA, VOMITING, ASPIRATION INTO LUNGS MAY CAUSE CHE MICAL PNEUMONITIS WHICH CAN BE FATAL. CHRONIC-DERMATITS, LIVER AND KIDNEY DAMAGE. Effects of Overexposure:EYES/SKIN: IRRITATION, TEARING OF EYES, DRYING OF SKIN. INHALATION/INGESTION:DIZZINESS, LIGHTHEADEDNESS, HEADACHE,

UNCOORDINATION, NAUSEA, VOMITING AND DIARRHEA.
Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. SKIN:
WASH W/WATER & SOAP. REMOVE CONTAMINATED CLOTHING. WASH
CONTAMINATED CLOTHING BEFORE RE-USE. EYE: FLUSH W/WATER FOR AT
LEAST 15 MINUTES. INGES TION:DO NOT INDUCE VOMITING, GET MEDICAL
HELP IMMEDIATELY.

Fire Fighting

Flash Point Method:TCC
Flash Point:105F,41C
Lower Limits:1.0%
Extinguishing Media:DRY CHEMICAL, FOAM OR CARBON DIOXIDE.
Fire Fighting Procedures:WATER MAY BE USED TO COOL/PROTECT EXPOSED
CONTAINERS. WEAR SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING
FIRES. WATER MAY BE INEFFECTIVE.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN
EXPOSED TO EXTREME HEAT OR FIRE.

Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. VENTILATE
AREA. SMALL SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS.
EVACUATE ALL UNNECESSARY PERSONNEL. SHUT OFF LEAK IF SAFE TO DO SO.
DIKE AND CONTAIN SPILL.

Handling

Handling and Storage Precautions:STORE BELOW HEAT/ SPARKS/OPEN FLAME. DON'T TAKE INTERNALLY. AVOID CONTACT/SKIN,
EYES, BREATHING OF VAPORS.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. WASH HANDS AFTER
HANDLING, BEFORE EATING/SMOKING. KEEP CONTAINERS TIGHTLY
CLOSED/UPRIGHT WHEN NOT IN USE. AVOID BREATHING SANDING DUST.

Exposure Controls

Respiratory Protection:USE NIOSH APPROVED SELF-CONTAINED BREATHING
APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED
SPACES.
Ventilation:PROVIDE LOCAL EXHAUST VENT TO PREVENT BUILD-UP OF VAPORS
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:EYE WASH/SAFETY SHOWER, PROTECTIVE
CLOTHINGS.
Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH
THIS PRODUCT.
Supplemental Safety and Health
NONE

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:300F,149C
Vapor Density:>AIR
Evaporation Rate & Reference:Appearance and Odor:LIQUID, MINERAL SPIRIT ODOR
Percent Volatiles by Volume:48

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS.
Stability Condition to Avoid:ELEVATED TEMPERATURES, OPEN FLAMES,
SPARKS.
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXDE,
HYDROCARBONS AND SMOKE.

Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL,
STATE AND FEDERAL REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.