

## **CONCORD-CLEAR**

### **MSDS Number**

BPLTZ

### **National Stock Number**

8010-00N033135

### **Product Name**

CONCORD-CLEAR

### **Manufacturer**

GARON PRODUCTS INC

### **Product Identification**

Product ID: CONCORD-CLEAR

MSDS Date: 01/01/1991

FSC: 8010

NIIN: 00N033135

MSDS Number: BPLTZ

### **Responsible Party**

GARON PRODUCTS INC

WALL , NJ 07719-1924

US

Emergency Phone: 908-449-1776

Info Phone: 800-631-5380

Cage: 2N005

### **Contractor**

GARON PRODUCTS INC

1924

NEW BRUNSWICK, NJ 08901

US

908-449-1776

Cage: 2N005

### **Ingredients**

ALIPHATIC MINERAL SPIRITS

Fraction By Weight: >50%

OSHA PEL100 PPM (MFR)

ACGIH TLV: 100 PPM (MFR)

### **Hazards**

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: EYES: CONTACT W/ LIQUID OR VAPOR MAY

IRRITATE. SKIN: POSSIBLE IRRITATION & DERMATITIS. INHAL: POSSIBLE

NASAL IRRITATION, DIZZINESS, NAUSEA & ASPHYXIATION. INGEST: TOXIC

EFFECTS POSSIBLE, CAN CAUSE GI PROBL EMS. NOTICE: REPORTS HAVE

ASSOCIATED REPEATED & PROLONGED OCCUPATIONAL OVEREXPOSURE TO

SOLVENTS W/ (EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: HLTH HAZ: PERMANENT BRAIN & NERVOUS SYSTEM

DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING & INHALING

CONTENTS MAY BE HARMFUL OR FATAL.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYES:FLUSH W/COPIOUS AMOUNTS OF WATER. GET MD. SKIN:WASH THOROUGHLY W/SOAP & WATER. LAUNDER CONTAMINATED CLOTHING.  
INHAL:REMOVE AFFECTED PERSON TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYG EN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MD. INGEST:DO NOT INDUCE VOMITING. VOMIT IN LUNGS CAN CAUSE CHEMICAL PNEUMONITIS. GIVE WATER & GET MD IMMEDIATELY.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:105F,41C  
Lower Limits:0.8%  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . DO NOT DIRECT WATER INTO HOT ASPHALT.  
Unusual Fire/Explosion Hazard:VAPOR HVR/AIR - MAY ACCUMULATE IN LOWER AREAS & EXPLODE. RESIDUE IN DRUM MAY EXPLODE IF IGNITED.

## Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION (HEAT, FLAMES, SPARKS) & CONFINE SPILLS. FOR LARGE SPILL EVACUATE AFFECTED AREA. NOTIFY AUTHORITIES. ADD ABSORBENT TO SPILL AREA. AVOID BREATHING FUMES. WEAR APPROPRIATE NIO SH/MSHA APPROVED RESPIRATOR. VENTILATE AREA.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:KEEP PROD AWAY FROM HEAT, SPKS & OPEN FLAME. KEEP CNTNRS CLSD WHEN NOT IN USE. USE W/ADEQ VENT. AVOID PRLNG/RPTD INHAL OF MIST/VAP & SKIN CONTACT.  
Other Precautions:STORE I/A/W REGS FOR COMBUST MATL. KEEP OUT OF REACH OF CHILDREN. DO NOT USE "EMPTY" DRUMS FOR OTHER PURPOSES. RESIDUAL VAPS IN DRUM MAY BE EXPLO IF IGNITED & ARE HAZ. DO NOT USE CUTTING/WELDING TORCH ON "EMPTY" DRUM.

## Exposure Controls

Respiratory Protection:NOT NORMALLY NEEDED IN WELL VENTILATED AREA. IF TLV IS EXCEEDED, A NIOSH/MSHA APPROVED BREATHING APPARATUS IS RECOMMENDED (CONTACT SAFETY EQUIPMENT SUPPLIER).  
Ventilation:PROVIDE SUFFICIENT MECHANICAL &/OR LOCAL EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.  
Protective Gloves:OIL RESISTANT GLOVES.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:PROTECTIVE CLOTHING & SHOES RECOMMENDED.  
Work Hygienic Practices:AFTER USING PRODUCT, WASH HANDS W/SOAP & WATER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

HCC:F4  
Boiling Pt:B.P. Text:311F,155C  
Vapor Pres:6 @ 106F  
Vapor Density:4.8  
Spec Gravity:0.884  
Evaporation Rate & Reference:SLOWER (BU AC = 1)  
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.  
Percent Volatiles by Volume:65.5

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:HEAT, SPARKS, FLAME, STATIC ELECTRICITY.  
Hazardous Decomposition Products:FIRE CONDITIONS MAY YIELD CO OR CO2.

## Disposal

Waste Disposal Methods:DISPOSE OF ACCORDING TO FEDERAL, STATE & LOCAL REGULATIONS UNDER RCRA FOR HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.