

# FO 606 HOT TANK STRIPPER W/20% MINERAL OIL

### **MSDS Number**

**BQCKT** 

#### **National Stock Number**

6850-00N035364

### **Product Name**

FO 606 HOT TANK STRIPPER W/20% MINERAL OIL

#### Manufacturer

FINE ORGANICS CORP

# **Product Identification**

Product ID:FO 606 HOT TANK STRIPPER W/20% MINERAL OIL MSDS Date: 03/25/1992

FSC:6850

NIIN:00N035364 MSDS Number: BQCKT

# **Responsible Party**

FINE ORGANICS CORP

205 MAIN ST

LODI, NJ 07644

US

Emergency Phone: 800-526-7480;800-424-9300(CHEMTREC)

Info Phone: 201-472-6800 Preparer: D. J. GREENBERG

Cage: 05867 **Contractor** 

FINE ORGANICS CORP

2277

CLIFTON, NJ 07015

US

973-478 1000 Cage: 05867

# **Ingredients**

ETHANOL, 2-AMINO; (ETHANOLAMINE)

CAS: 141-43-5

RTECS: KJ5775000 Fraction By Weight:

OSHA PEL3 PPM;6 PPM STEL ACGIH TLV: 3 PPM;6 PPM STEL

### **Hazards**

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHAL OF MISTS CAN BE IRRITATING TO THROAT, NOSE & MUC MEMB IN CONFINED/POORLY VENTILATED AREAS/AT ELEVATED CONCENTRATED LEVELS.CONTACT W/SKIN CAN CAUSE IRRIT. CONT



W/EYES CAN PRODUCE SEV IRRIT/ BURNS. ACCIDENTAL INGEST CAN CAUSE BURNS TO MOUTH, THROAT &/ESOPHAGUS.CHRONIC: NONE WITH NORMAL INDUSTRIAL USE.

Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: PREEXISTING SKIN DISORDERS.

#### First Aid

First Aid:SKIN: WASH WITH WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. EYE: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WITHIN A ONE MINUTE PERIOD OF CONTACT. INGEST: DO NOT INDUCE VOMI TING, GIVE PLENTY OF WATER. INHAL: REMOVE PERSON TO FRESH & GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. SEEK MEDICAL ATTENTION IN MOST INSTANCES.

# **Fire Fighting**

Flash Point Method:COC Flash Point:210F,99C

Extinguishing Media:FOAM, CO\*2, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: DANGEROUS FIRE HAZARD IF EXPOSED TO OPEN

SPARKS AND FLAMES.

#### **Accidental Release**

Spill Release Procedures: REMOVE IGNITION SOURCES. ADD SAND, EARTH OR OTHER SUITABLE ABSORBENT TO SPILL. SWEEP UP ABSORBENT AND FOLLOW DISPOSAL METHODS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

### Handling

Handling and Storage Precautions: AVOID CONTACT WITH SKIN, REMOVE CONTAMINATED CLOTHING; LAUNDER OR DRY CLEAN BEFORE REUSE. HANDLE WITH REASONABLE CARE AND PRECAUTIONS.

Other Precautions: EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPOR OR LIQUID). OBSERVE ALL LABELED PRECAUTIONS.

#### **Exposure Controls**

Respiratory Protection: NONE WITH NORMAL USE. NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Ventilation: GENERAL (MECHANICAL) SUFFICIENT TO MAINTAIN LEVELS OF

CONCENTRATION OF HAZARDOUS MATERIALS BELOW TLV'S.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: PROTECTIVE CLOTHING, RUBBER APRON.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health SPEC GRAV: 1.050 @ 25C.

## **Chemical Properties**

HCC:C2

Boiling Pt:B.P. Text:>300F,>149C Vapor Pres:Vapor Density:>16 Spec Gravity:SUPP DATA

pH:11.4

Evaporation Rate & Reference: SLOWER (ETHYL ETHER=1)

Solubility in Water: COMPLETE

Appearance and Odor:YELLOW LIQUID, MILD ODOR.

Percent Volatiles by Volume:NIL

## Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS.

Stability Condition to Avoid: OPEN SPARKS AND FLAMES.

Hazardous Decomposition Products: EXTREME HEATING CAN PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.



### **Disposal**

Waste Disposal Methods: DISPOSE OF I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO THE ORIGINAL MATERIAL AND ITS CONTAINER, NOT ANY WASTE BY PRODUCTS OF THE USER'S OPERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.