

## **V-8000,ADHESIUM WALL SIZE & PASTE ADDITIVE**

### **MSDS Number**

BQHMW

### **National Stock Number**

8040-00F026123

### **Product Name**

V-8000,ADHESIUM WALL SIZE & PASTE ADDITIVE

### **Manufacturer**

MURALO CO INC

### **Product Identification**

Product ID:V-8000,ADHESIUM WALL SIZE & PASTE ADDITIVE

MSDS Date:08/30/1991

FSC:8040

NIIN:00F026123

MSDS Number: BQHMW

### **Responsible Party**

MURALO CO INC

148 EAST 5TH ST

BAYTONE , NJ 07002

US

Emergency Phone: 201-437-0770

Info Phone: 201-437-0770

Cage: MURAL

### **Contractor**

MURALO CO INC

UNKNOW

BAYTONE, NJ 07002

US

201-437-0770

Cage: MURAL

### **Ingredients**

WATER

CAS: 7732-18-5

RTECS: ZC0110000

CORN SYRUP

CAS: 8029-43-4

GLUE 283

HYDROCHLORIC ACID, HYDROGEN CHLORIDE, MURIATIC ACID

CAS: 7647-01-0

RTECS: MW4025000

OSHA PEL5 PPM

ACGIH TLV: C 11 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

TRIBUTYLTIN SALICYLATE

CAS: 4342-30-7

RTECS: WH8600000

OSHA PEL0.1 MG/CUM

ACGIH TLV: 0.1 MG/CUM

CHLOROMETHOXYPROPYLMERIC ACETATE \*92-3\*

CAS: 5954-14-3

9.48-9.78 LBS

RTECS: 9999999WG

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: SENSITIZATION, OR IRRITATION.

Explanation of Carcinogenicity:NONE

## First Aid

First Aid:EYES: FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINS. SKIN: WASH AFFECTED AREA W/SOAP & WATER. INGESTION: DRINK 1 OR 2 GLASSES TO DILUTE. DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTI ON IN ALL CASES.

## Fire Fighting

Flash Point:NON-FLAMMABLE

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO A BUILD UP OF STEAM PRESSURE WHEN EXPOSED TO EXTREME HEAT.

## Accidental Release

Spill Release Procedures:USE ABSORBENT MATERIAL SUCH AS SAND TO PICK UP EXCESS, WASH AREA W/SOAP & WATER.

## Handling

Handling and Storage Precautions:STORE CONTAINERS BETWEEN 40-100F. PROTECT FROM FREEZING.

## Exposure Controls

Respiratory Protection:AS REQUIRED

Ventilation:OPEN WINDOW

Protective Gloves:AS REQUIRED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:FULL LENGTH CLOTHING.

Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:212F

Evaporation Rate & Reference:SLOWER THAN ETHER

## Stability

Stability Indicator/Materials to Avoid: YES  
Hazardous Decomposition Products: OXIDES OF CARBON

## **Disposal**

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS. BEFORE ATTEMPTING CLEAN-UP, REFER TO HAZARD CAUTION INFORMATION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.