

CEE-BEE CLEANER A-69 P

MSDS Number

BQKTK

National Stock Number

6850-01-192-1774

Product Name

CEE-BEE CLEANER A-69 P

Manufacturer

MCGEAN ROHCO INC CEE BEE CHEMICAL DIV

Product Identification

Product ID:CEE-BEE CLEANER A-69 P

MSDS Date:06/01/1991

FSC:6850

NIIN:01-192-1774

MSDS Number: BQKTK

Responsible Party

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

9520 E CEE BEE DR

DOWNEY , CA 90241-5501

US

Emergency Phone: 213-803-4311/CHEMTREC 800-424-9300

Info Phone: 213-803-4311 OR 213-861-1211

Preparer: H. B. HANS

Cage: 71361

Contractor

MCGEAN-ROHCO INC

DOWNEY, CA 90241-5501

US

562-803-6701

Cage: 71361

Ingredients

2-BUTOXYETHANOL/ETHYLENE GLYCOL MONOBUTYL ETHER

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight:

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

Hazards

LD50 LC50 Mixture:TLV FOR ETHYLENE GLYCOL IS 120 MG/M3.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- MAY IRRITATE EYES AND SKIN.

VAPORS CAN CAUSE DIZZINESS. INGESTION IS UNKNOWN. CHRONIC- NONE KNOWN.

Effects of Overexposure:MAY IRRITATE EYES AND SKIN. VAPORS CAN CAUSE DIZZINESS. INGESTION IS UNKNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:GET MEDICAL CARE IF NEEDED. EYE/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. INGESTED:CALL A PHYSICIAN.

Fire Fighting

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:FLUSH WITH WATER TO SEWER, IF PERMITTED.

Neutralizing Agent:NOT APPLICABLE.

Handling

Handling and Storage Precautions:STORAGE- STORE AT 32 - 100 DEGREES F.

Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES OR ON SKIN. AVOID INGESTION. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USE A NIOSH-APPROVED ORGANIC VAPOR CHEMICAL CARTRIDGE OR CANISTER RESPIRATOR WHEN CONCENTRATIONS EXCEED THE TLV LIMITS.

Ventilation:SUFFICIENT TO KEEP BELOW TLV LIMITS.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

Chemical Properties

HCC:B3

Boiling Pt:B.P. Text:>210F,>99C

Vapor Pres:23.8 @ 25C

Vapor Density:Spec Gravity:1.09

pH:11- 12

Evaporation Rate & Reference:Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIQUID, MILD ODOR

Percent Volatiles by Volume:78

Stability

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:NONE KNOWN

Disposal

Waste Disposal Methods:FLUSH TO SEWER IF PERMITTED. COMPLY WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

