https://msdsreport.com/msds/BQMLK

SPRINT, 14080-11-12

MSDS Number

BQMLK

National Stock Number

7930-01-277-5718

Product Name

SPRINT, 14080-11-12

Manufacturer

S C JOHNSON WAX

Product Identification

Product ID:SPRINT, 14080-11-12 MSDS Date:02/20/1992 FSC:7930 NIIN:01-277-5718 MSDS Number: BQMLK

Responsible Party

S C JOHNSON WAX

1525 HOWE ST

RACINE , WI 53403-5011

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MEYERS

Cage: GO109

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

STYRENE ACRYLIC POLYMERS Fraction By Weight: 10-20%

DIPROPYLENE GLYCOL, MONOMETHYL ETHER CAS: 34590-94-8 RTECS: JM1575000 Fraction By Weight: 3-6% OSHA PEL100 PPM;150 STEL,S ACGIH TLV: 100 PPM;150 STEL,S



https://msdsreport.com/msds/BQMLK

•

RTECS: KK8750000 Fraction By Weight: 1-2%

AMMONIUM HYDROXIDE (SARA III) CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 1-3%

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ZINC AMMONIUM CARBONATE Fraction By Weight: 1-3%

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 70-85%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NOT APPLICABLE. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHAL:MOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN:FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD . EYE:FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MINUTES. CALL MD (FP N). INGEST:CALL MD IMMEDIATELY .

Fire Fighting

Extinguishing Media:FOAM, CO*2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. Unusual Fire/Explosion Hazard:CONTAINER MAY MELT AND LEAK IN HEAT OF FIRE.

Accidental Release

Spill Release Procedures:CONTAIN AMMONIA AND ZINC. DO NOT LET SPILLED OR LEAKING MATERIAL ENTER WATERCOURSE. MAY BE TOXIC TO AQUATIC LIFE. ABSORB WITH OIL-DRI OR SIMILAR INERT MATL. SWEEP UP OR SCRAPE UP & CONTAINERIZE. RINSE AFFECTED AREA THOROUGHLY WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP FROM FREEZING. Other Precautions: KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS. Ventilation:GENERAL ROOM VENTILATION IS ADEQUATE. Protective Gloves:NO SPECIAL REQS UNDER NORMAL USE.



Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health PH:8.8-9.2.

•

Chemical Properties

Boiling Pt:B.P. Text:>200F,>93C Spec Gravity:1.03 pH:SUPDAT Solubility in Water:COMPLETE Appearance and Odor:OPAQUE, WHITE EMULSION WITH MILD AMMONIACAL ODOR

Stability

Stability Indicator/Materials to Avoid:YES NONE KNOWN. Stability Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods:NO SPECIAL METHOD. OBSERVE ALL APPLICABLE FEDERAL, STATE, AND LOCAL ORDINANCES REGARDING DISPOSAL OF NON-HAZ MATLS. WASTE FROM NORMAL PROD USE MAY BE COVERED TO A PUBLIC-OWNED TREATMENT WORKS (POTW) I /A/W APPLIC FED, STATE & LOC PRETREATMENT REQS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.