

04050 ACRYWELD PART B

MSDS Number

BQZCN

National Stock Number

8040-00F027209

Product Name

04050 ACRYWELD PART B

Manufacturer

HARDMAN INC

Product Identification

Product ID:04050 ACRYWELD PART B MSDS Date: 08/15/1988 FSC:8040 NIIN:00F027209

Kit Part:Y

MSDS Number: BQZCN

Responsible Party

HARDMAN INC

600 CORTLANDT ST

BELLEVILLE, NJ 07109-3328

US

Emergency Phone: 201-751-3000

Info Phone: 201-751-3000

Preparer: NORMAN S WOLFROM

Cage: 96900 **Contractor**

HARDMAN INC

BELLEVILLE, NJ 07109-3328

US

201-751-3000

Cage: 96900

Ingredients

BENZOYL PEROXIDE, DI-BENZOYLPEROXIDE

CAS: 94-36-0

RTECS: DM8575000

Fraction By Weight: 20-50%

OSHA PEL5 MG/CUM ACGIH TLV: 5 MG/CUM

DIBUTYL PHTHALATE, DI-N-BUTYL PHTHALATE

CAS: 84-74-2 RTECS: TI0875000

Fraction By Weight: 20-50%



OSHA PEL5 MG/CUM

ACGIH TLV: 5 MG/CUM

EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

9.62

RTECS: 9999999WG

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: HEADACHES, DIZZINESS,

UNCONSCIOUSNESS.

Explanation of Carcinogenicity: NONE

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. EYES: FLUSH THOROUGHLY W/WATER FOR AT LEAST 15 MINS. INGESTION: DRINK 1-2 GLASSES OF WATER. DON'T INDUCE VOMITING. SKIN: WASH TH OROUGHLY W/SOAP & WATER. OBTAIN MEDICALATTENTION IN ALL CASES.

Fire Fighting

Flash Point:200F

Extinguishing Media: DRY CHEMICAL, FOAM, CO2

Fire Fighting Procedures: USE FULL PROTECTIVE CLOTHING & A POSITIVE

PRESSURE SCBA.

Accidental Release

Spill Release Procedures: CONTAIN & REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

Exposure Controls

Respiratory Protection:IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION, THEN A POSITIVE-PRESSURE BREATHING APPARATUS OR FULL FACE RESPIRATOR W/AN APPROVED CANISTER IS RECOMMENDED.

Ventilation:LOCAL EXHAUST

Protective Gloves: NITRILE RUBBER, IMPERVIOUS Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

REUSE.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:200F

Vapor Density:>1

Appearance and Odor:LIQUID Percent Volatiles by Volume:0%

Stability

Stability Indicator/Materials to Avoid:YES REDUCING AGENTS SUCH AS SULFIDES, POLYMERIZABLE MATERIALS Stability Condition to Avoid:HEAT, OPEN FLAME Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods:INCINERATE OR BURY IN LEGAL LANDFILL IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and



disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.