https://msdsreport.com/msds/BRBCH

FRESH SQUEEZED

MSDS Number

BRBCH

National Stock Number

7930-00F027787

Product Name

FRESH SQUEEZED

Manufacturer

STATE CHEMICAL MFG CO

Product Identification

Product ID:FRESH SQUEEZED MSDS Date:10/01/1991 FSC:7930 NIIN:00F027787 MSDS Number: BRBCH

Responsible Party

STATE CHEMICAL MFG CO

3100 HAMILTON AVE

CLEVELAND , OH 44114-3701

US

Emergency Phone: 216-861-7114

Info Phone: 216-861-7114

Cage: 53798

Contractor

STATE CHEMICAL MANUFACTURING CO.

CLEVELAND, OH 44114-3701

US

216-861-7114

Cage: 53798

Ingredients

ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL CAS: 64-17-5

RTECS: KQ6300000 Fraction By Weight:

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM

BUTANE, N-BUTANE CAS: 106-97-8 RTECS: EJ4200000 Fraction By Weight: OSHA PEL800 PPM ACGIH TLV: 1900 MG/CUM msds report

•

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight:

OSHA PEL1000 PPM

ACGIH TLV: SIMPLE ASPHYXIANT

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRITATION. Explanation of Carcinogenicity:NONE

First Aid

First Aid:EYES: FLUSH W/PLENTY OF COOL WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: CONTACT PHYSICIAN OR POISON CONTROL CENTER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC Flash Point:71F Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL Fire Fighting Procedures:KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT AGAINST BURSTING, RUPTURING OR VENTING CONTAINERS. Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 130F) CONTAINERS MAY VENT, RUPTURE OR BURST. AEROSOL FLAMMABLE.

Accidental Release

Spill Release Procedures: REMOVE IGNITION SOURCE. PROVIDE ADEQUATE VENTILATION. WIPE UP SPILL.

Handling

Handling and Storage Precautions:CONTENTS UNDER PRESSURE. FLAMMABLE. KEEP IN COOL, DRY, LOCKED AREA AWAY FROM IGNITION SOURCE. DON'T SPRAY TOWARDS EYES OR FACE. Other Precautions:AVOID BREATHING MIST. KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY. READ & FOLLOW ALL LABEL DIRECTIONS & PRECAUTIONS BEFORE USING.

Exposure Controls

Ventilation:LOCAL EXHAUST Protective Gloves:RECOMMENDED Eye Protection:SAFETY GLASSES Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:180F Spec Gravity:0.87 Solubility in Water:APPRECIABLE Appearance and Odor:CLEAR, COLORLESS LIQUID W/PLEASANTLY SCENTED ODOR Percent Volatiles by Volume:>90

Stability

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEATING TO ABNORMAL TEMPERATURES, FLAMES, SPARKS, OR OTHER SOURCES OF IGNITION Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods: REPLACE CAP & DISCARD CONTAINER IN TRASH. DON'T PUNCTURE OR INCINERATE. LIQUID IS AN UNSPECIFIED IGNITABLE WASTE



(D001). DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.