

LUBRIGUARD NON-DETERGENT 30

MSDS Number

BRBCR

National Stock Number

9150-00F027795

Product Name

LUBRIGUARD NON-DETERGENT 30

Manufacturer

SPECIALTY (WESTLAND) OIL COMPANY

Product Identification

Product ID:LUBRIGUARD NON-DETERGENT 30

MSDS Date:03/17/1988

FSC:9150

NIIN:00F027795

MSDS Number: BRBCR

Responsible Party

SPECIALTY (WESTLAND) OIL COMPANY

2740 VALLEYVIEW DR

SHREVEPORT , LA 71108

US

Emergency Phone: 318-687-8000

Info Phone: 318-687-8000

Cage: 0A6L6

Contractor

SPECIALTY (WESTLAND) OIL COMPANY

SHREVEPORT, LA 71148

US

318-687-8000

Cage: 0A6L6

Ingredients

PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE

CAS: 64742-52-5

RTECS: PY8035001

Fraction By Weight: 100%

Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT): >5 G/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: REMOVES SKIN OILS LEADING TO IRRITATION & DERMATITIS. EYES: IRRITATION. INGESTION: ASPIRATION INTO LUNGS DURING VOMITING MAY CAUSE MILD TO SEVERE PULMONARY INJURY & POSSIBLY DEATH.

Explanation of Carcinogenicity:NONE

First Aid

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER.

INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE

OXYGEN. IF BREATHING STOPS, START RESUSCITATION. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method: COC

Flash Point: 425F

Lower Limits: 0.9%

Upper Limits: 7%

Extinguishing Media: FOAM, WATER SPRAY (FOG), DRY CHEMICAL, CO2 &

VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO

KEEP FIRE EXPOSED CONTAINERS COOL. WEAR SUPPLIED-AIR BREATHING

EQUIPMENT FOR ENCLOSED/CONFINED SPACES.

Unusual Fire/Explosion Hazard: AUTOIGNITION: >600F

Accidental Release

Spill Release Procedures: RECOVER FREE PRODUCT. ADD SAND, EARTH, OR OTHER SUITABLE ABSORBENT TO SPILL. WEAR PROTECTIVE EQUIPMENT. KEEP PRODUCT OUT OF SEWERS & WATERCOURSES BY DIKING OR IMPOUNDING.

Handling

Handling and Storage Precautions: KEEP CONTAINERS & STORAGE CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions: AVOID BREATHING VAPOR, MIST OR FUMES. AVOID SKIN CONTACT. NO SMOKING OR OPEN LIGHTS. CLEANSE SKIN AFTER CONTACT, BEFORE BREAKS & MEALS & AT END OF WORK PERIOD. PRODUCT IS READILY REMOVED FROM SKIN BY WATERLESS HAND CLEANERS.

Exposure Controls

Respiratory Protection: USE SUPPLIED-AIR RESPIRATOR IN CONFINED OR ENCLOSED SPACES WHEN TLV IS EXCEEDED

Ventilation: LOCAL EXHAUST SUFFICIENT TO KEEP CONCENTRATIONS BELOW TLV. USE EXPLOSION-PROOF EQUIPMENT.

Protective Gloves: CHEMICAL-RESISTANT

Eye Protection: SPLASH GOGGLES OR FACE SHIELD

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE. DISCARD IF OIL-SOAKED.

Supplemental Safety and Health

CONTINUOUS CONTACT WITH USED MOTOR OIL HAS CAUSED SKIN CANCER IN ANIMAL TESTS.

Chemical Properties

Vapor Density: >5

Spec Gravity: 0.9315

pH: 7

Evaporation Rate & Reference: (N-BU AC = 1): Solubility in Water: NEGLIGIBLE

Appearance and Odor: CLEAR AMBER LIQUID W/MILD, BLAND PETROLEUM ODOR

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDANTS SUCH AS LIQUID CHLORINE, CONCENTRATED OXYGEN, SODIUM HYPOCHLORITE OR CALCIUM HYPOCHLORITE

Stability Condition to Avoid: HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY, & OPEN FLAME

Hazardous Decomposition Products: FUMES, SMOKE, CO, SULFUR OXIDES, ALDEHYDES

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. EMPTY DRUMS SHOULD BE COMPLETELY DRAINED, PROPERLY BUNGED & PROMPTLY RETURNED TO DRUM RECONDITIONER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.