msds report

https://msdsreport.com/msds/BRBDM

<u>D'STAIN</u>

MSDS Number

BRBDM

National Stock Number

7930-00F027812

Product Name

D'STAIN

Manufacturer

OMEGA LABORATORIES INC

Product Identification

Product ID:D'STAIN MSDS Date:04/10/1989 FSC:7930 NIIN:00F027812 MSDS Number: BRBDM

Responsible Party

OMEGA LABORATORIES INC

8732 CLAY RD SUITE 103

HOUSTON, TX 77080

US

Emergency Phone: 713-462-3606 Info Phone: 800-424-9300 Cage: 15205

Contractor

OMEGA LABORATORIES INC HOUSTON, TX 77080 (713) 462-3606 Cage: 15205

Ingredients

AMYL ACETATE CAS: 628-63-7 RTECS: AJ1925000 Fraction By Weight: OSHA PEL100 PPM ACGIH TLV: 100 PPM EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (CHLOROTHENE NU), CAS: 71-55-6 RTECS: KJ2975000 Fraction By Weight: OSHA PEL350 PPM

msds report

https://msdsreport.com/msds/BRBDM

ACGIH TLV: 1910 MG/CUM EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

DIPROPYLENE GLYCOL METHYL ETHER, DOWANOL DPM, DIPROPYLENE CAS: 34590-94-8 RTECS: JM1575000 Fraction By Weight: OSHA PEL100 PPM SKIN ACGIH TLV: 606 MG/CUM

•

SODIUM HYDROXIDE, CAUSTIC SODA, LYE CAS: 1310-73-2 RTECS: WB4900000 Fraction By Weight: OSHA PEL2 MG/M3 ACGIH TLV: C 2 MG/M3; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

SODIUM NITRITE CAS: 7632-00-0 RTECS: RA1225000 Fraction By Weight: EPA Report Quantity: 100 LBS DOT Report Quantity: 100 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: RESPIRATORY TRACT IRRITATION. EYES/SKIN: IRRITATION. INGESTION: NAUSEA. Explanation of Carcinogenicity:NONE

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK PLENTY OF WATER OR MILK. DON'T INDUCE VOMITING. EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL C ASES.

Fire Fighting

Extinguishing Media: FOAM, DRY CHEMICAL, CO2 & WATER

Accidental Release

Spill Release Procedures:USE SUITABLE ABSORBENT MATERIAL TO PICK UP EXCESS LIQUID. SWEEP OR SCOOP UP FOR DISPOSAL. FLUSH ANY RESIDUE W/DETERGENT & WATER.

Exposure Controls

Ventilation:ADEQUATE TO KEEP VAPOR CONCENTRATION BELOW TLV Protective Gloves:RUBBER



Eye Protection:SAFETY GLASSES Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS BEFORE HANDLING FOOD. Supplemental Safety and Health

Chemical Properties

Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIQUID W/SOLVENT LIKE ODOR

Stability

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods:WASH CONTAINER WELL W/WATER & BURY IN APPROVED LANDFILL IN ACCORDANCE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.