

0265-07 EPINAL 0.5%,7.5 ML

MSDS Number

BRBHL

National Stock Number

6505-00F027956

Product Name

0265-07 EPINAL 0.5%,7.5 ML

Manufacturer

ALCON LABORATORIES INC

Product Identification

Product ID:0265-07 EPINAL 0.5%,7.5 ML MSDS Date:06/20/1989 FSC:6505 NIIN:00F027956 MSDS Number: BRBHL

Responsible Party

ALCON LABORATORIES, INC.

6201 S. FREEWAY

FORT WORTH, TX 76134-2099

US

Emergency Phone: 817-551-4444

Info Phone: 817-551-4444

Cage: 16703

Contractor

ALCON LABORATORIES INC

FORT WORTH, TX 76134

US

817-551-4444

Cage: 16703

Ingredients

EPINEPHRINE

CAS: 51-43-4

RTECS: DO2625000

Fraction By Weight: 0.5%

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

BORIC ACID, ORTHOBORIC ACID

CAS: 10043-35-3 RTECS: ED4550000

Fraction By Weight: 1.2%



CAS: 50-81-7

RTECS: CI7650000

Fraction By Weight: 1%

ACETYLCYSTEINE

CAS: 616-91-1

RTECS: HA1660000

Fraction By Weight: 0.5%

BENZALKONIUM CHLORIDE(QUATERNARY)

Fraction By Weight: 0.01%

SODIUM CARBONATE, MONOHYDRATE *93-1*

CAS: 5968-11-6

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: BALANCE

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY TRACT IRRITATION, HEADACHE, PALPITATION, FAINTNESS, TACHYCARDIA, & HYPERSENSITIVITY. EYES: CONJUNCTIVAL OR CORNEAL PIGMENTATION &

IRRITATION. SKIN: IRRITATION. Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: RESPIRATORY TRACT IRRITATION. SKIN:

DERMAL IRRITATION. EYES: IRRITATION.

Medical Cond Aggravated by Exposure: HYPERSENSITIVITY TO MATERIAL,

DERMATITIS, CARDIOVASCULAR DISEASE HYPERTHYROIDISUM.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, PERFORM ARTIFICIAL RESUSCITATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN/INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR THE SURROUNDING FIRE CONDITIONS.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Accidental Release

Spill Release Procedures: WEAR APPROVED RESPIRATOR AND CHEMICALLY COMPATIBLE GLOVES. VACUUM OR SWEEP UP SPILLAGE. AVOID DUST. PLACE SPILLAGE IN APPROPRIATE CONTAINER FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE.

Handling

Handling and Storage Precautions: STORE IN TIGHT CONTAINER. THIS MATERIALS SHOULD BE HANDLED/STORED PER LABEL & OTHER INSTRUCTION TO



ENSURE PRODUCT INTEGITY.

Other Precautions: AVOID CONTACT W/EYES, SKIN, OR CLOTHING. AVOID BREATHING DUST OR MIST. USE W/ADEQUATE DUST CONTROL. WASH THOROUGHLY AFTER HANDLING. DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR MATERIAL.

Exposure Controls

Respiratory Protection: NIOSH/OSHA-APPROVED RESPIRATOR

Ventilation: USE MECHANICAL OR LOCAL EXHAUST

Protective Gloves: RUBBER Eye Protection: SAFETY GOGGLES

Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH

THOROUGHLY AFTER HANDLING. Supplemental Safety and Health

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid: MATERIAL IS STABLE FROM A SAFETY POINT OF VIEW.

Hazardous Decomposition Products: WHEN HEATED TO DECOMPOSITION, MATERIAL EMITS TOXIC FUMES.

Disposal

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/ALL APPLICABLE FEDERAL, STATE/LOCAL ENVIRONMENTAL REGULATIONS. THIS MATERIAL SHOULD BE DISSOLVED OR MIXED W/A COMBUSTIBLE SOLVENT AND BURNED IN A CHEMICAL INCINERATOR EQUIPPED W/AN AFTERBURNER AND SCRUBBER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.