

ACRYL-SET

MSDS Number

BRBJV

National Stock Number

8030-00F028015

Product Name

ACRYL-SET

Manufacturer

MARTIN MARIETTA CHEMICAL

Product Identification

Product ID:ACRYL-SET MSDS Date:09/05/1986 FSC:8030 NIIN:00F028015 MSDS Number: BRBJV

Responsible Party

MARTIN MARIETTA CHEMICAL

23700 CHAGRIN BLVD

CLEVELAND , OH 44122-5506

US

Emergency Phone: 216-831-5500

Info Phone: 216-831-5500 Preparer: PHILIP A ROSSKOPF

Cage: 98898

Contractor

MARTIN MARIETTA CHEM MASTER BUILDERS DIV

CLEVELAND, OH 44122-5506

US

216-831-5500 Cage: 98898

Ingredients

ACRYLIC EMULSION, WATER BASE

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYES/SKIN: IN POORLY VENTILATED AREAS RESIDUAL VAPORS MAY CAUSE IRRITATION. INHALATION: POORLY VENTILATED AREAS MAY CAUSE IRRITATION TO MUCOUS MEMBRANES, PRODUCING HEADACHES

& NAUSEA.

 ${\bf Explanation\ of\ Carcinogenicity:} {\bf NONE}$

First Aid

First Aid: EYES: FLUSH W/COPIOUS AMOUNTS OF WATER. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTION: DRINK 2 GLASSES OF WATER & INDUCE VOMITING W/IPECAC SYRUP, SALT WATER, OR PLACING A FINGER AT THE BACK OF THROA T. DON'T GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.



Fire Fighting

Extinguishing Media: NON-COMBUSTIBLE Fire Fighting Procedures: ACRYLIC EMULSIONS WILL NOT BURN.

Accidental Release

Spill Release Procedures: TAKE UP W/ABSORBENT MATERIAL & SHOVEL INTO CONTAINERS. FLUSH CONTAMINATED AREAS W/WATER.

Exposure Controls

Respiratory Protection: AS REQUIRED Ventilation: NORMAL/GENERAL MECHANICAL VENTILATION SHOULD BE SUFFICIENT TO KEEP ODORS TO COMFORT LEVEL. Protective Gloves: IMPERVIOUS Eye Protection: SPLASH-PROOF CHEMICAL GOGGLES

Chemical Properties Boiling Pt:B.P. Text:>212F

Supplemental Safety and Health

Vapor Pres:17
Vapor Density:AS WATER
Spec Gravity:1.1
Evaporation Rate & Reference:AS WATER
Appearance and Odor:OPAQUE WHITE LIQUID, SLIGHT ODOR.
Percent Volatiles by Volume:53%

Stability

Stability Indicator/Materials to Avoid:YES STRONG MINERAL ACIDS Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, & TOXIC MONOMER FUMES

Disposal

Waste Disposal Methods: COAGULUM & CONTAMINATED DIKING MATERIAL SHOULD BE LANDFILLED IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.