

# **DF-200 ANTI SPATTER**

### **MSDS Number**

**BRBLC** 

### **National Stock Number**

6850-00F028061

### **Product Name**

DF-200 ANTI SPATTER

#### Manufacturer

DYNAFLUX INC

# **Product Identification**

Product ID:DF-200 ANTI SPATTER MSDS Date:05/15/1990 FSC:6850 NIIN:00F028061 MSDS Number: BRBLC

# **Responsible Party**

DYNAFLUX INC

520 S TENNESSEE ST

CARTERSVILLE, GA 30120

US

Emergency Phone: 800-334-4420

Info Phone: 404-382-8843 Preparer: K. SMALLWOOD

Cage: OCHD7

Contractor

DYNAFLUX INC

CARTERSVILLE, GA 30120

US

(404) 382-8843 Cage: OCHD7

Ingredients

DICHLOROMETHANE (METHYLENE CHLORIDE) (SUSPECTED HUMAN

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 47%

OSHA PEL500 PPM

ACGIH TLV: 174 MG/CUM (A2) EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

CARBON DIOXIDE

CAS: 124-38-9 RTECS: FF6400000



Fraction By Weight: 3 - 5%

OSHA PEL5000 PPM

ACGIH TLV: 5000PPM/30000STEL;93

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (CHLOROTHENE NU),

CAS: 71-55-6

RTECS: KJ2975000

Fraction By Weight: 47%

OSHA PEL350 PPM

ACGIH TLV: 1910 MG/CUM
EPA Report Quantity: 1000 LBS
DOT Report Quantity: 1000 LBS

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UNCONCIOUSNESS OR FATAL. EYES: IRRITATION. SKIN: IRRITATION

OR DEFATTING. INGESTION: NAUSEA.

Explanation of Carcinogenicity: SEE INGRENDIENTS

#### First Aid

First Aid: EYES: FLUSH W/WATER FOR 15 MIN. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING, POSSIBLE ASPIRATION PNEUMONITIS IF VOMITED. OBTAIN MEDICAL ATTENTION IN AL L CASES.

### Fire Fighting

Flash Point: NON-FLAMMABLE

Extinguishing Media:AEROSOL IS NON-FLAMMABLE: FOAM, DRY CHEMICAL & CO2. Fire Fighting Procedures:WEAR SELF CONTAINED RESPIRATORY APPARATUS. Unusual Fire/Explosion Hazard:DON'T EXPOSE AEROSOLS TO TEMPERATURES >130F OR THE CONTATINER MAY EXPLODE.

# **Accidental Release**

Spill Release Procedures: AVOID BREATHING VAPORS. SOAK UP WITH ABSORBENT MATERIAL .

### Handling

Handling and Storage Precautions: AVOID BREATHING VAPORS. DON'T PUNCTURE OR INCINERATE CONTAINER. DON'T STORE AT TEMP > 130F.

Other Precautions: AVOID CONTAMINATION OF FOOD. KEEP OUT OF REACH OF CHILDREN.

### **Exposure Controls**

 ${\tt Respiratory\ Protection:} IF\ {\tt VAPOR\ CONC.\ EXCEEDS\ TLV,\ WEAR\ RESPIRATOR}$ 

APPROVED BY BUREAU OF MINES.

Ventilation: ADEQUATE Protective Gloves: RUBBER Eye Protection: SAFETY GLASSES

Work Hygienic Practices: WASH HANDS BEFORE HANDLING FOOD.

Supplemental Safety and Health

### **Chemical Properties**

Vapor Pres:85-100PSIG Spec Gravity:1.32

Solubility in Water: INSOLUBLE

Appearance and Odor: CLEAR COLORLESS SPRAY W/METHYLENE CHLORIDE ODOR.

### **Stability**



Stability Indicator/Materials to Avoid:YES ALUMINUM, WATER, ALKALIS, OXIDIZING MATERIALS, AMINES, & POTASSIUM SODIUM.

Stability Condition to Avoid:HEAT & OPEN FLAME Hazardous Decomposition Products:CO, SMALL AMOUNTS OF PHOSGENE & CHLORINE & CO2. HYDROGEN CHLORIDE.

# **Disposal**

Waste Disposal Methods: AEROSOL CANS, WHEN VENTED TO ATMOSPHERIC PRESSURE THROUGH NORMAL USE, POSE NO DISPOSAL PROBLEM. INCINERATE OR LANDFILL ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS. DON'T PUNCTURE CONTAINER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.