

## **791 TRACER BG MONITOR**

### **MSDS Number**

BRBRC

### **National Stock Number**

6550-00F028204

### **Product Name**

791 TRACER BG MONITOR

### **Manufacturer**

BOEHRINGER MANNHEIM CORP

### **Product Identification**

Product ID:791 TRACER BG MONITOR

MSDS Date:09/22/1989

FSC:6550

NIIN:00F028204

MSDS Number: BRBRC

### **Responsible Party**

BOEHRINGER MANNHEIM CORP

9115 HAGUE RD

INDIANAPOLIS , IN 46250

US

Emergency Phone: 317-845-2000

Info Phone: 317-845-2000

Cage: 51169

### **Contractor**

BOEHRINGER MANNHEIM CORPORATION

INDIANAPOLIS, IN 46250

US

317-845-2684

Cage: 51169

### **Ingredients**

NON-HAZARDOUS FOR INGREDIENTS

### **Hazards**

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NONE

### **First Aid**

First Aid:EYES/SKIN: IMMEDIATELY FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINS. INHALATION: REMOVE TO FRESH AIR. IF BREATHING BECOMES LABORED, GIVE OXYGEN. IF BREATHING STOPS, ADMINISTER ARTIFICIAL RESPIR ATION. INGESTION: KEEP VICTIM WARM & CALM. OBTAIN MEDICAL ATTENTION IN ALL CASES.

### **Fire Fighting**

Extinguishing Media:USE MEDIA AS APPROPRIATE FOR SITE SPECIFIC CONDITIONS.

### **Handling**

Handling and Storage Precautions:KEEP PRODUCT COOL & DRY. STORE IN A SEALED CONDITION.

## **Exposure Controls**

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. USE GOOD LABORATORY TECHNIQUE WHEN HANDLING. WASH HANDS AFTERWARDS.

Supplemental Safety and Health

## **Stability**

Stability Indicator/Materials to Avoid:YES

## **Disposal**

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.