

## **CARRIAGE HOUSE ACRYLIC HOUSE PAINT COUNTRY BLUE**

### **MSDS Number**

BRBRM

### **National Stock Number**

8010-00F028212

### **Product Name**

CARRIAGE HOUSE ACRYLIC HOUSE PAINT COUNTRY BLUE

### **Manufacturer**

BRUNING PAINT CO INC

### **Product Identification**

Product ID: CARRIAGE HOUSE ACRYLIC HOUSE PAINT COUNTRY BLUE

MSDS Date: 10/11/1989

FSC: 8010

NIIN: 00F028212

MSDS Number: BRBRM

### **Responsible Party**

BRUNING PAINT CO INC

601 S HAVEN ST

BALTIMORE , MD 21224-4347

US

Emergency Phone: 301-342-3636AM/301-342-3641PM

Info Phone: 301-342-3636AM/301-342-3641PM

Cage: EO376

### **Contractor**

KYANIZE PAINT

BALTIMORE, MD 21224

US

800-368-2076

Cage: 85520

### **Ingredients**

SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN

CAS: 14808-60-7

RTECS: VV7330000

Fraction By Weight: 29.16%

OSHA PELSEE TABLE Z3

ACGIH TLV: 0.1 MG/M3 RDUST;9293

ETHYLENE GLYCOL, GLYCOL

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 1.77%

ACGIH TLV: C 127 MG/CUM

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

## Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:EYES: IRRITATION.  
Explanation of Carcinogenicity:SEE INGREDIENTS  
Effects of Overexposure:INHALATION: PERMANENT BRAIN & NERVOUS SYSTEM  
DAMAGE, SILICOSIS.

## First Aid

First Aid:EYES: FLUSH W/LUKE WARM WATER FOR AT LEAST 15 MINS. SKIN:  
WASH W/COPIOUS AMOUNTS OF LUKE WARM WATER. INHALATION: REMOVE TO  
FRESH AIR. RESTORE BREATHING IF REQUIRED. INGESTION: RINSE MOUTH  
IMMEDIATELY. GIVE EXPOSED INDIVIDUAL 6 TO 8 OUNCES OF LIQUID.  
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DON'T INDUCE  
VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Extinguishing Media:CO2, DRY CHEMICAL OR FOAM EXTINGUISHER. IF WATER IS  
USED, FOG NOZZLES ARE PREFERABLE.  
Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE. WATER MAY BE  
USE TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP &  
POSSIBLE AUTO IGNITION/EXPLOSION WHEN EXPOSED TO HEAT.  
Unusual Fire/Explosion Hazard:CONTAINERS EXPOSED TO INTENSE HEAT FROM  
FIRES SHOULD BE COOLED W/WATER TO PREVENT VAPOR PRESSURE BUILD-UP  
WHICH COULD RESULT IN CONTAINER RUPTURE.

## Accidental Release

Spill Release Procedures:DON'T FLUSH TO SEWER, WATERSHED OR WATERWAY.

## Handling

Handling and Storage Precautions:KEEP FROM FREEZING. DON'T STORE >120F.  
CLOSE CONTAINER AFTER USE.  
Other Precautions:DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.  
AVOID PROLONGED BREATHING OF VAPOR. AVOID CONTACT W/SKIN, EYES &  
CLOTHES.

## Exposure Controls

Respiratory Protection:OUTDOORS: NIOSH/MSHA APPROVED MECHANICAL FILTER  
TO REMOVE SOLID AIRBORNE PARTICLE OF OVERSPRAY DURING SPRAY.  
RESTRICTED: CHEMICAL-MECHANICAL FILTER DESIGNED TO REMOVE  
COMBINATION OF PARTICULATE/GAS/VA POR. CONFINED: AIR-LINE  
RESPIRATOR/HOOD.  
Ventilation:GENERAL DILUTION OR LOCAL EXHAUST IN VOLUME & PATTERN TO  
KEEP TLV BELOW ACCEPTABLE LIMITS.  
Work Hygienic Practices:REMOVE & WASH CONTAMINATED CLOTHES BEFORE  
REUSE. WASH HANDS THOROUGHLY BEFORE EATING & USING WASHROOM.  
Supplemental Safety and Health  
PIGMENTS IN THIS PRODUCT MAY BECOME A DUST NUISANCE UPON ABRASIVE  
BLASTING, SANDING, OR GRINDING. INTENTIONAL MISUSE BY DELIBERATE  
CONCENTRATION & INHALATION MAY BE HARMFUL & FATAL.

## Chemical Properties

Boiling Pt:B.P. Text:212-410F  
Vapor Pres:17  
Vapor Density:>1  
Evaporation Rate & Reference:SLOWER THAN BU AC  
Percent Volatiles by Volume:61.53

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS  
Stability Condition to Avoid:EXTREME HEAT & FREEZING  
Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN

---

## Disposal

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE W/APPLICABLE LOCAL, COUNTRY, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.